

DIRECT DISTANCES TO NEARBY GALAXIES USING DETACHED ECLIPSING BINARIES AND CEPHEIDS. VI. VARIABLES IN THE CENTRAL PART OF M33¹

L.M. MACRI, K.Z. STANEK², D.D. SASSELOV³ & M. KROCKENBERGER
 Harvard-Smithsonian Center for Astrophysics, 60 Garden St., Cambridge MA 02138, USA
 lmacri, kstane, sasselov, krocken@cfa.harvard.edu

&

J. KALUZYNY
 N. Copernicus Astronomical Center, Bartycka 18, PL-00-716 Warszawa, Poland
 jka@camk.edu.pl

ABSTRACT

The DIRECT project aims to determine direct distances to two important galaxies in the cosmological distance ladder – M31 and M33 – using detached eclipsing binaries (DEBs) and Cepheids.

We present the results of the first large-scale CCD-based search for variables in M33. We have observed two fields located in the central region of M33 for a total of 95 nights on the F. L. Whipple Observatory 1.2 m telescope and 36 nights on the Michigan-Dartmouth-MIT 1.3 m telescope. We have found a total of 544 variables, including 251 Cepheids and 47 eclipsing binaries.

The catalog of variables is available online, along with finding charts and BVI light curve data (consisting of 8.2×10^4 individual measurements). The complete set of CCD frames is available upon request.

Subject headings: binaries: eclipsing — Cepheids — distance scale — galaxies: individual (M33) — stars: variables: other

1. INTRODUCTION

The DIRECT project (as in “direct distances”) started in 1996 with the long-term goal of obtaining distances to two important galaxies in the cosmological distance ladder – M31 and M33 – using detached eclipsing binaries (DEBs) and Cepheids. These two nearby galaxies are the stepping stones in most of the current effort to understand the evolving universe at large scales. Not only are they essential to the calibration of the extragalactic distance scale, but they also constrain population synthesis models for early galaxy formation and evolution. However, accurate distances are essential to make these calibrations free from large systematic uncertainties.

Detached eclipsing binaries have the potential to establish distances to M31 and M33 with an unprecedented accuracy of better than 5% and possibly to better than 1%. Current uncertainties in the distances to these galaxies are in the order of 10 to 15%, as there are discrepancies of 0.2-0.3 mag between various distance indicators. Detached eclipsing binaries (Andersen 1991; Paczyński 1997) offer a single-step distance determination to nearby galaxies and may therefore provide an accurate zeropoint calibration for other distance indicators, including Cepheids. This work is the first paper in the DIRECT series related to the discovery of variables in M33. The previous papers in the series (Kaluzny et al. 1998; Stanek et al. 1998, 1999; Kaluzny et al. 1999; Mochejska et al. 1999) have presented results for five fields in M31.

This work represents the first large-scale CCD-based search for variables in M33. A previous paper (Macri et al. 2001a) presented the details of data acquisition, reduction and calibration, as well as positions and mean BVI magnitudes, for 57,581 objects in the central part of M33

(consisting of the DIRECT M33 Survey fields A, B and C). The present paper presents the analysis of the variable stars found in fields A and B. Stanek et al. (2001) will present the analysis of the variable stars found in field C, which benefits from an additional year of observations.

§2 summarizes the details of data acquisition and reduction; §3 discusses the search and classification of variable stars, and presents the catalogs of variable stars; §4 contains a discussion of our results; and §5 compares our sample of variables with previous catalogs.

2. OBSERVATIONS AND DATA REDUCTION

M33 was observed at the Fred L. Whipple Observatory 1.2-m telescope and at the Michigan-Dartmouth-MIT 1.3-m telescope between September 1996 and October 1997. Useful data was acquired on 42 nights during the program. We observed three fields located north, south and southwest of the center of M33, which we labeled A, B and C, respectively. This paper presents the analysis of the variable stars located in fields A and B, whose J2000.0 center coordinates are R.A. = $01^{\text{h}}34^{\text{m}}05.1^{\text{s}}$, Dec. = $30^{\circ}43^{\text{m}}43^{\text{s}}$ and R.A. = $01^{\text{h}}33^{\text{m}}55.9^{\text{s}}$, Dec. = $30^{\circ}34^{\text{m}}04^{\text{s}}$, respectively.

Macri et al. (2001a) contains the details of data acquisition, reduction and calibration, as well as a catalog of positions and mean BVI magnitudes of the objects present in these fields. We refer the interested reader to that publication for details. PSF photometry was carried out following the precepts of Kaluzny et al. (1998), using an automated pipeline and the DAOPHOT and ALLSTAR programs (Stetson 1987, 1992). The photometric calibration of the fields was carried out using standard stars from Landolt (1992); the uncertainty in our zeropoints is ± 0.04 mag.

¹ Based on observations collected at the Fred L. Whipple Observatory 1.2-m telescope and at the Michigan-Dartmouth-MIT 1.3-m telescope.

² Hubble Fellow

³ Alfred P. Sloan Foundation Fellow

3. VARIABLE SEARCH AND CLASSIFICATION

Kaluzny *et al.* (1998) presented a detailed explanation of our techniques for period determination and variable classification, which we summarize here. The reader should also note that our classification criteria for variables have been slightly modified over the past five papers in the series.

In Macri *et al.* (2001a), we calculated the J_S variability index (Stetson 1996) for all objects in our database, using the V -band data since it has the best sampling. We flagged objects with $J_{S,V} \geq 0.75$ and $\sigma_V \geq 0.04$ mag as candidate variables. The second criterion was introduced to reject bright stars with very small-amplitude variability. This yielded 1298 candidate variables out of a total of 40,642 stars.

Periods were determined using the V -band data only, employing a variant of the Lafler-Kinman technique proposed by Stetson (1996). We searched for periods between 0.25 and 400 days, which corresponds to the time span of the observations. When fitting a light curve to a Cepheid or eclipsing binary template, we tried the ten most likely periods derived by this procedure, as well as periods corresponding to one-half of their values. Once the best-fit period was identified, it was refined by trying ten values in its close vicinity.

Figure 1 shows our phase coverage as a function of period. The ten most likely periods of each object were saved for the next step in the analysis procedure, involving the classification of variables. We classified variables into four categories: Cepheids, eclipsing binaries, periodic and miscellaneous. The classification process involved automated template fits as well as a visual examination of the phased light curves and of the CCD image of every object.

A variable star was classified as a Cepheid if the χ^2_ν of a fit of its time series to a template Cepheid light curve was smaller than the χ^2_ν of a fit to a template EB light curve and 3 times smaller than the χ^2_ν of a fit to a straight line. We further required that the V -band amplitude be larger than 0.1 mag. We used the parameterization of Cepheid light curves in the V and I bands from Stetson (1996). Since B -band templates were not available, we used the V -band ones, with their amplitudes rescaled by a fixed factor of 1.45. Mean magnitudes were obtained by numerical integration of the best-fit templates.

A variable star was classified as an eclipsing binary (EB) if the χ^2_ν of a fit of its time series to a EB light curve was smaller than the χ^2_ν of a fit to a template Cepheid light curve and 1.75 times smaller than the χ^2_ν of a fit to a straight line. The EB light curve was modeled using nine parameters: the period (P), the zero point of the phase (T_0), the eccentricity (e), the longitude of periastron (ω), the radii of the two stars relative to the binary separation (r_1 and r_2), the inclination angle (i), and the magnitudes of the primary and of the uneclipsed system. We further required that the larger stellar radius be less than 90% of the binary separation and that the light of the brighter star be less than 90% of the total light. Lastly, we rejected periods within 0.025d of 1 and 2 days, to avoid spurious classifications due to aliasing of long-period variables. 46 objects were classified as EBs.

In some cases, the classification routine was able to fit a variable light curve with either a Cepheid or EB template.

However, visual inspection of the light curve showed unusual colors or a shallow amplitude. These objects may be Cepheids or EBs, but higher-quality observations are required for a secure classification. Therefore, we have only classified them as “periodic”. 26 objects fell into this category.

In 206 cases, the classification routine could not obtain a satisfactory match to a Cepheid or EB template, but the V -band J_S index of the object being analyzed was equal or greater than 1.2, implying a well-established variability. We examined the light curve and CCD image of these objects and rejected 37 of them because they were close to or on top of chip defects, or near saturated stars. The remaining 169 objects seemed to be authentic and thus were classified as “miscellaneous”. An additional 780 objects, which did not match the Cepheid or EB templates and which had a V -band $J_S < 1.2$, were discarded.

The star catalog of Macri *et al.* (2001a) required that objects be present in at least two bands (the V band and either the B or I bands) in order to be included in it. However, there could be additional variables in our fields with data in one band only. This situation could arise in regions of high extinction, where only the I -band flux would be detected. Additionally, some objects could have been detected in the V band and missed in the I band due to close proximity to a bright red object. Therefore, we decided to repeat our variable search and classification for single-band objects in our V - and I -band databases.

We searched the V -band database for objects with no counterparts in other bands and with $J_S \geq 0.75$ and $\sigma_V \geq 0.04$ mag. We found 255 such objects and analyzed them in manner described above. 11 were classified as Cepheids, 1 was classified as an EB, 15 were labeled as “miscellaneous”, and 228 were rejected.

We searched the I -band database for objects with no counterparts in other bands and with $J_S \geq 1.2$ and $\sigma_I \geq 0.04$ mag. We were aware that our observing strategy had not included obtaining back-to-back images in this band, a fact that affects the meaning of the J_S statistic. Therefore, a substantial number of objects (638) passed our selection criteria. We decided to only retain the variables that fitted a Cepheid or EB template. Since the latter are blue objects, it is not surprising that none were found. 36 objects had good fits to the Cepheid templates, but their location in the P-L plane indicates that they are most likely Population II Cepheids (see §4). We therefore classified them as “periodic”.

In summary, our classification of candidate variables resulted in the selection of 544 objects, of which 251 were classified as Cepheids, 47 as eclipsing binaries, 62 as periodic variables and 184 as miscellaneous variables. The candidate objects include 11 Cepheids, 1 EB and 15 miscellaneous variables detected only in the V band, and 36 periodic variables detected only in the I band. Figures 2-5 contain representative light curves of each class of variables.

Tables 1-4 contain catalogs of the Cepheids, EBs, periodic and miscellaneous variables, respectively, discovered in our search. We list their designations, positions (in J2000.0 coordinates), periods (J_S values for miscellaneous variables), mean V , I , and B magnitudes, and $r.m.s.$ deviations of the light curves from the best-fit templates (for

Cepheids and EBs) or from the mean magnitudes (for miscellaneous and periodic variables). Tables 5-8 contain the individual photometric measurements for all variables⁴.

4. DISCUSSION

Figure 6 shows $(B-V, V)$ and $(V-I, V)$ color-magnitude diagrams indicating the location of the variables which have data in more than one band. The star catalog from Macri et al. (2001a) is plotted with black dots, while the variables are marked with circles of different colors: green for Cepheids, blue for EBs, red for miscellaneous variables, and yellow for periodic variables. The displacement induced by an extinction of $A_V = 1$ mag is indicated by the arrows.

The segregation of EBs in the blue part of the diagram, and of Cepheids in the instability strip, is quite clear in both panels. Variables labeled as “miscellaneous” seem to fall into two well-defined categories: i) luminous blue variables ($V < 18, V-I < 1.5$) and ii) AGB stars ($V < 20.5, V-I > 2$), while other miscellaneous variables populate the lower regions of the CMD ($V > 21, V-I \sim 2$).

Figure 7 shows the B , V and I -band Period-Luminosity relations for the Cepheid and “periodic” variables, constructed from the data presented in Table 1. The I -band magnitudes of the long-period “periodic” variables are well correlated, indicating that these are probably Population II variables (either W Virginis or RV Tauri stars). The Cepheids for which HST archival data is available are presently being studied by Mochejska et al. (2001). The analysis of the Cepheid sample and a determination of the distance to M33 will be presented in Macri et al. (2001b).

5. PREVIOUSLY-KNOWN VARIABLES IN M33

The search for variables in M33 has a long and venerable history. Duncan (1922) (hereafter, Du22) discovered three variables in this galaxy while searching for novae. The first two of these are irregular variables, while the third one turned out to be a 42-day Cepheid. Hubble (1926) (hereafter Hu26) undertook an extensive observational program which resulted in the discovery of 41 variables, including 35 Cepheids and one eclipsing variable. Later, Hubble & Sandage (1953) (hereafter, HS53) discovered an additional three bright irregular variables. After a long hiatus, van den Bergh, Herbst & Kowal (1975) (hereafter VHK75) discovered 36 new variables but were unable to determine periods and classifications for them, due to the rather poor quality of their magnitudes. Lastly, Sandage & Carlson (1983) (hereafter, SC83) discovered an additional 12 Cepheids.

Table 9 lists the properties of all these “classical” variables, and their DIRECT counterparts, where available. Coordinates are from the catalog of Macri et al. (2001a), if the variable was present in it. Otherwise, they were obtained from the original publication or from a digitized POSS image of M33. We hope this table, which to our knowledge is the first compilation of all M33 classical variables, will serve as reference for future work.

In general, there is good agreement between the classical and the DIRECT periods and classification of these variables. In two cases (Hu26-V04 and VHK75-76), we believe the original finding charts may be erroneously indicating a

nearby star as the variable instead of the actual object. In both cases, the star marked as variable in the original finding charts exhibits no variability in our database, while a nearby star has the properties of the object listed as variable in the text or tables of the original work. It seems that van den Bergh, Herbst & Kowal (1975) did not notice this mis-identification of V04 by Hubble (1926), and thought that VHK75-49 was a new object when it was actually the same variable.

Four classical variables which had been not been classified as Cepheids were found to be so by our automated template fitting program. Such was the case for Du22-V01 (re-classified as a 33-day Cepheid), Hu26-V15 (re-classified as a 50-day Cepheid), Hu26-V21 (re-classified as a 67-day Cepheid) and Hu26-V45 (re-classified as a 74-day Cepheid). One classical Cepheid (Hu26-V19) is present in the star catalog of Macri et al. (2001a), but it did not meet the criteria to be classified as a variable. Indeed, the amplitude of its pulsation seems to have decreased from ~ 1 mag at the beginning of the century to a few hundredths of a magnitude at present. We are exploring this change and will report our findings elsewhere.

The only modern search for variables in M33 was undertaken by Kinman, Mould & Wood (1987) (hereafter, KMW87). The observations were carried out using plates, but these were scanned and digitized using a PDS machine, and the search for variables was performed using an automated software routine. They discovered 65 Cepheids, 44 long-period variables, 6 periodic variables and 224 miscellaneous variables over a large area of the disk of M33.

Table 10 lists DIRECT counterparts for the KMW87 variables located in our fields A & B. Generally, there is good agreement between the KMW87 and DIRECT periods and classification of these variables. We were able to retrieve all but one of the KMW87 Cepheids; the lone exception seems to have a very faint counterpart in our frames, below the detection threshold. We were also able to recover the only KMW87 W Vir candidate located in our fields, which we have classified as a short-period Cepheid, and all but three of the KMW87 long-period variables. Lastly, we found good matches ($< 1''$) in our catalog of variables for one third (23/72) of the KMW87 unclassified variables present in our fields.

6. CONCLUSIONS

We have presented the results of the first large-scale CCD-based search for variables in M33. Our catalog contains 544 variables, including 251 Cepheids, 47 eclipsing binaries, 62 periodic variables, and 184 miscellaneous variables.

The Cepheids for which HST archival data is available are presently being studied by Mochejska et al. (2001). The analysis of the Cepheid sample and a determination of the distance to M33 will be presented in Macri et al. (2001b).

Finding charts and individual photometric measurements for all variables are available from the DIRECT project Web site at <http://cfa-www.harvard.edu/~kstanek/DIRECT>.

We would like to thank the telescope allocation committees of the FLWO and MDM Observatories for the gen-

⁴ Also available through anonymous FTP on [cfa-ftp.harvard.edu, /pub/kstanek/DIRECT](http://cfa-ftp.harvard.edu/pub/kstanek/DIRECT).

erous amounts of telescope time devoted to this project. LMM would like to thank John Huchra for his support and comments. KZS was supported by a Hubble Fellowship grant HF-01124.01-99A from the Space Telescope Science Institute, which is operated by the Association of Univer-

sities for Research in Astronomy, Inc., under NASA contract NAS5-26555. DDS acknowledges support from the Alfred P. Sloan Foundation and from NSF grant No. AST-9970812. JK was supported by KBN grant 2P03D003.17

REFERENCES

- Andersen, J. 1991, *A&ARv*, 3, 91
Duncan, J.C. 1922, *PASP*, 34, 290
Freedman, W.L., Wilson, C.D. & Madore, B.F. 1991, *ApJ*, 372, 455
Hubble, E. 1926, *ApJ*, 63, 236
Hubble, E. & Sandage, A. 1953, *ApJ*, 118, 353
Kaluzny, J., Stanek, K.Z., Krockenberger, M., Sasselov, D.D., Tonry, J.L. & Mateo, M. 1998, *AJ*, 115, 1016 (Paper I)
Kaluzny, J., Mochejska, B.J., Stanek, K.Z., Krockenberger, M., Sasselov, D.D., Tonry, J.L. & Mateo, M. 1999, *AJ*, 188, 346 (Paper IV)
Kinman, T., Mould, J.R., and Wood, P.R., 1987, *AJ*, 93, 833
Landolt, A.U. 1992, *AJ*, 104, 340
Macri, L.M., Stanek, K.Z., Sasselov, D.D., Krockenberger, M. & Kaluzny, J. 2001a, *AJ*, in press
Macri, L.M., Stanek, K.Z., Sasselov, D.D., Kaluzny, J., & Mochejska, B.J. 2001b, in preparation
Mochejska, B.J., Kaluzny, J., Stanek, K.Z., Krockenberger, M. & Sasselov, D.D. 1999, *AJ*, 118, 2211 (Paper V)
Mochejska, B.J., Macri, L.M., Stanek, K.Z. & Sasselov, D.D. 2001, in preparation
Mould, J.R. 1987, *PASP*, 99, 1127
Paczynski, B. 1997, in *The Extragalactic Distance Scale*, ed. M. Livio, M. Donahue & N. Panagia (Cambridge: Cambridge Univ. Press), 273
Sandage, A. & Carlson, G. 1983, *ApJ*, 267, 23
Stanek, K.Z., Kaluzny, J., Krockenberger, M., Sasselov, D.D., Tonry, J.L. & Mateo, M. 1998, *AJ*, 115, 1894 (Paper II)
Stanek, K.Z., Kaluzny, J., Krockenberger, M., Sasselov, D.D., Tonry, J.L. & Mateo, M. 1999, *AJ*, 117, 2810 (Paper III)
Stanek, K.Z., Macri, L.M., Sasselov, D.D., & Kaluzny, J. 2001, in preparation
Stetson, P.B. 1987, *PASP*, 99, 191
Stetson, P.B. 1992, in *ASP Conf. Ser. 25, Astrophysical Data Analysis Software and Systems I*, ed. D.M. Worrall, C. Bimesderfer & J. Barnes (San Francisco: ASP), 297
Stetson, P.B. 1996, *PASP*, 108, 851
Udalski, A., Szymanski, M., Kubiak, M., Pietrzynski, G., Soszynski, I., Wozniak, P. & Zebrun, K. 1999, *Ac.A.*, 49, 201
van den Bergh, S., Herbst, E. & Kowal, C.T. 1975, *ApJS*, 29, 303




FIG. 1.— Phase coverage for variables of different periods, based on the span and sampling of our *V*-band data.




FIG. 2.— Light Curves for 6 of the 251 Cepheid variables. *BVI* data are represented by blue, green and red filled circles, respectively. The best-fit model light curves are overplotted using solid lines.




FIG. 3.— Light Curves for 4 of the 47 eclipsing binaries. *BVI* data are represented by blue, green and red filled circles, respectively. The best-fit model light curves are overplotted using solid lines.





FIG. 4.— Light Curves for 6 of the 62 periodic variables. VI data are represented by green and red filled circles, respectively.

FIG. 5.— Light Curves for 8 of the 184 miscellaneous variables. BVI data are represented by blue, green and red filled circles, respectively.




FIG. 6.— Color-magnitude diagrams indicating the location of the variables. Stars from the catalog of Macri et al. (2001a) are plotted using small black dots, while variables are indicated using solid circles of different colors: blue for EBs, green for Cepheids, yellow for periodic variables, and red for miscellaneous variables.




FIG. 7.— B , V and I -band Period-Luminosity relations for Cepheids (solid circles) and “periodic” variables (open circles), constructed from the data presented in Tables 1 and 3.

TABLE 1
DIRECT CEPHEIDS

Designation	R.A. (J2000.0)	Dec.	P (d)	V	I	B	σ_V	σ_I	σ_B	Amp.
D33J013417.3+304505.3	01:34:17.35	30:45:05.25	3.66	22.74	...	...	0.14	...	...	0.79
D33J013341.2+302856.4	01:33:41.24	30:28:56.39	3.97	21.47	20.42	22.04	0.09	0.13	0.33	0.27
D33J013353.2+304420.4	01:33:53.18	30:44:20.37	4.10	22.23	...	22.95	0.19	...	0.22	0.49
D33J013413.1+304210.5	01:34:13.12	30:42:10.55	4.11	21.39	20.10	...	0.11	0.10	...	0.29
D33J013349.8+304737.0	01:33:49.80	30:47:37.03	4.19	22.58	21.01	23.23	0.21	0.23	0.20	0.56
D33J013336.9+303709.3	01:33:36.86	30:37:09.34	4.36	20.77	19.55	...	0.07	0.05	...	0.21
D33J013351.9+304658.7	01:33:51.94	30:46:58.69	4.39	20.79	...	...	0.08	...	...	0.20
D33J013402.6+303944.5	01:34:02.60	30:39:44.53	4.47	21.30	...	...	0.09	...	...	0.33
D33J013412.2+304353.1	01:34:12.20	30:43:53.15	4.47	21.80	20.92	22.26	0.12	0.11	0.10	0.28
D33J013421.6+304618.2	01:34:21.55	30:46:18.20	4.76	22.36	21.20	23.06	0.20	0.15	0.24	0.57
D33J013409.7+304350.4	01:34:09.74	30:43:50.42	4.77	21.10	20.69	...	0.10	0.14	...	0.29
D33J013359.4+304214.2	01:33:59.41	30:42:14.22	4.78	21.67	20.85	...	0.16	0.28	...	0.41
D33J013426.8+304522.0	01:34:26.78	30:45:21.96	4.81	21.88	20.52	...	0.18	0.11	...	0.42
D33J013339.1+303713.3	01:33:39.07	30:37:13.34	4.84	21.40	21.02	...	0.12	0.12	...	0.33
D33J013342.9+302903.7	01:33:42.90	30:29:03.70	4.93	20.47	19.04	21.52	0.04	0.05	0.20	0.11
D33J013336.4+303437.8	01:33:36.37	30:34:37.78	4.98	21.60	20.49	21.96	0.13	0.12	0.41	0.45
D33J013357.0+304826.4	01:33:57.01	30:48:26.43	5.00	21.60	21.20	22.05	0.11	0.20	0.11	0.35
D33J013421.5+304000.2	01:34:21.51	30:40:00.16	5.03	21.68	20.82	22.10	0.09	0.16	0.15	0.32
D33J013400.4+304808.8	01:34:00.37	30:48:08.79	5.10	21.34	20.40	22.04	0.08	0.11	0.12	0.20
D33J013341.5+304737.7	01:33:41.53	30:47:37.75	5.19	21.97	20.95	...	0.22	0.17	...	0.52
D33J013358.1+302958.6	01:33:58.13	30:29:58.56	5.24	21.26	19.93	21.96	0.10	0.06	0.22	0.26
D33J013405.9+303453.8	01:34:05.94	30:34:53.80	5.28	20.78	20.04	21.11	0.10	0.07	0.15	0.25
D33J013342.6+303329.5	01:33:42.61	30:33:29.52	5.31	20.60	19.95	21.22	0.05	0.07	0.08	0.15
D33J013408.6+303754.8	01:34:08.59	30:37:54.80	5.32	21.23	...	21.73	0.10	...	0.22	0.39
D33J013340.8+303434.3	01:33:40.80	30:34:34.32	5.33	21.13	20.39	...	0.11	0.09	...	0.41
D33J013421.6+304415.9	01:34:21.62	30:44:15.94	5.36	20.93	19.61	21.87	0.07	0.05	0.09	0.18
D33J013405.5+304133.3	01:34:05.50	30:41:33.29	5.37	21.97	...	22.01	0.15	...	0.38	0.53
D33J013342.5+302958.7	01:33:42.45	30:29:58.67	5.39	21.24	19.81	22.13	0.10	0.09	0.14	0.21
D33J013359.5+303846.8	01:33:59.47	30:38:46.82	5.45	21.24	...	...	0.14	...	...	0.40
D33J013355.3+304638.6	01:33:55.34	30:46:38.57	5.49	21.11	20.18	21.78	0.12	0.09	0.11	0.28
D33J013415.4+304452.8	01:34:15.43	30:44:52.80	5.49	20.53	19.75	21.04	0.04	0.05	0.05	0.14
D33J013331.8+303727.2	01:33:31.79	30:37:27.23	5.54	21.71	19.01	...	0.25	0.07	...	0.19
D33J013357.0+303117.5	01:33:57.00	30:31:17.47	5.55	20.68	19.58	21.35	0.05	0.06	0.08	0.13
D33J013344.1+304558.1	01:33:44.09	30:45:58.07	5.56	20.83	20.11	21.19	0.08	0.11	0.07	0.21
D33J013351.2+303001.0	01:33:51.18	30:30:01.04	5.60	20.58	19.63	21.23	0.05	0.08	0.11	0.15
D33J013429.1+303836.1	01:34:29.11	30:38:36.10	5.62	21.14	...	21.79	0.13	...	0.20	0.35
D33J013350.0+304346.7	01:33:50.03	30:43:46.74	5.64	21.10	20.70	21.43	0.10	0.29	0.19	0.28
D33J013417.1+303932.9	01:34:17.08	30:39:32.87	5.64	19.97	19.52	20.35	0.04	0.04	0.05	0.11
D33J013414.0+304837.7	01:34:14.04	30:48:37.69	5.67	21.06	20.23	21.73	0.09	0.09	0.07	0.27
D33J013401.3+304325.6	01:34:01.31	30:43:25.61	5.68	20.87	...	...	0.11	...	...	0.35
D33J013420.6+304244.2	01:34:20.65	30:42:44.17	5.70	21.42	20.50	22.05	0.10	0.09	0.14	0.36
D33J013426.8+304357.7	01:34:26.82	30:43:57.69	5.70	19.93	19.58	...	0.04	0.07	...	0.10
D33J013350.6+304734.9	01:33:50.59	30:47:34.87	5.74	21.60	20.74	22.20	0.11	0.14	0.12	0.32
D33J013332.2+303001.9	01:33:32.17	30:30:01.87	5.79	21.37	19.91	22.15	0.14	0.11	0.30	0.36
D33J013413.6+304210.5	01:34:13.59	30:42:10.55	5.87	20.06	19.51	...	0.03	0.04	...	0.12
D33J013350.9+303156.3	01:33:50.94	30:31:56.32	5.89	20.70	20.04	21.05	0.12	0.08	0.32	0.29
D33J013405.0+303557.5	01:34:04.97	30:35:57.52	5.89	21.22	20.52	21.61	0.09	0.14	0.24	0.32
D33J013407.3+303048.6	01:34:07.32	30:30:48.60	5.90	21.90	20.98	...	0.15	0.13	...	0.42
D33J013407.9+303831.6	01:34:07.90	30:38:31.63	5.90	20.31	19.82	20.65	0.06	0.09	0.23	0.21
D33J013343.9+304513.7	01:33:43.94	30:45:13.72	5.91	20.16	...	20.42	0.06	...	0.04	0.16
D33J013349.8+304427.9	01:33:49.79	30:44:27.89	5.91	21.84	21.39	22.69	0.18	0.40	0.16	0.53
D33J013424.9+304431.2	01:34:24.86	30:44:31.24	5.91	21.38	20.20	22.41	0.08	0.08	0.11	0.22
D33J013359.8+303800.0	01:33:59.84	30:38:00.03	5.99	21.30	20.72	21.95	0.16	0.20	0.59	0.49
D33J013346.9+304334.2	01:33:46.90	30:43:34.21	6.00	20.94	20.00	21.44	0.09	0.14	0.11	0.26
D33J013349.6+304744.7	01:33:49.63	30:47:44.73	6.00	21.92	20.52	...	0.14	0.13	...	0.32
D33J013408.5+304430.6	01:34:08.48	30:44:30.59	6.00	21.49	20.97	22.01	0.09	0.20	0.09	0.21
D33J013350.6+303445.8	01:33:50.63	30:34:45.80	6.03	21.11	20.39	21.77	0.11	0.14	0.28	0.36
D33J013359.0+304531.0	01:33:59.00	30:45:30.96	6.07	21.08	20.54	...	0.13	0.14	...	0.34
D33J013403.2+304332.0	01:34:03.17	30:43:32.01	6.07	20.95	19.80	...	0.09	0.08	...	0.25
D33J013417.0+302923.1	01:34:17.04	30:29:23.07	6.11	21.40	20.64	21.84	0.15	0.09	0.27	0.52
D33J013356.7+304838.6	01:33:56.75	30:48:38.63	6.12	20.99	20.23	21.37	0.11	0.13	0.12	0.37
D33J013405.6+304120.5	01:34:05.57	30:41:20.51	6.12	21.58	20.35	22.38	0.17	0.14	0.23	0.40
D33J013406.2+303031.3	01:34:06.25	30:30:31.28	6.18	21.30	20.46	21.92	0.08	0.11	0.06	0.20
D33J013403.7+304528.6	01:34:03.70	30:45:28.59	6.19	20.94	20.18	21.52	0.09	0.09	0.11	0.32
D33J013417.0+303415.5	01:34:16.99	30:34:15.53	6.25	21.10	19.98	21.49	0.09	0.08	0.10	0.23
D33J013349.4+304701.9	01:33:49.39	30:47:01.89	6.35	21.43	...	22.20	0.17	...	0.15	0.42
D33J013425.0+304129.7	01:34:24.98	30:41:29.65	6.55	21.28	20.24	21.98	0.11	0.09	0.14	0.42
D33J013349.4+303009.4	01:33:49.36	30:30:09.39	6.78	21.12	20.40	21.47	0.08	0.10	0.24	0.39
D33J013352.1+304702.9	01:33:52.10	30:47:02.94	6.86	20.72	20.03	21.43	0.07	0.10	0.04	0.25
D33J013355.8+304416.5	01:33:55.78	30:44:16.47	6.89	21.38	20.78	22.00	0.16	0.24	0.13	0.47
D33J013406.4+304003.7	01:34:06.43	30:40:03.68	6.93	20.57	19.59	21.10	0.07	0.08	0.07	0.31
D33J013428.3+303900.4	01:34:28.33	30:39:00.40	6.99	21.24	20.41	21.74	0.08	0.07	0.08	0.30
D33J013332.5+303408.9	01:33:32.46	30:34:08.90	7.06	21.17	20.54	...	0.14	0.18	...	0.57
D33J013333.8+303427.8	01:33:33.76	30:34:27.77	7.06	20.66	19.82	21.66	0.07	0.09	0.12	0.23
D33J013403.0+304727.9	01:34:03.03	30:47:27.89	7.09	21.16	20.41	21.85	0.07	0.08	0.06	0.28
D33J013404.1+304329.3	01:34:04.07	30:43:29.28	7.09	20.24	19.16	20.59	0.06	0.06	0.10	0.22
D33J013410.3+303934.8	01:34:10.31	30:39:34.85	7.09	21.48	20.99	22.03	0.10	0.14	0.12	0.39
D33J013429.2+304015.9	01:34:29.22	30:40:15.85	7.14	21.34	20.50	21.95	0.11	0.14	0.21	0.50
D33J013331.7+302904.7	01:33:31.67	30:29:04.67	7.22	20.04	19.57	20.34	0.04	0.06	0.12	0.15
D33J013413.6+303027.7	01:34:13.55	30:30:27.65	7.30	21.40	20.33	22.06	0.09	0.09	0.17	0.28
D33J013356.1+303803.9	01:33:56.09	30:38:03.88	7.35	21.24	20.49	21.93	0.11	0.11	0.20	0.35

TABLE 1—*Continued*

Designation	R.A. (J2000.0)	Dec.	P (d)	V	I	B	σ_V	σ_I	σ_B	Amp.
D33J013336.5+303053.2	01:33:36.52	30:30:53.24	7.59	21.14	20.61	...	0.14	0.20	...	0.63
D33J013347.9+302943.6	01:33:47.91	30:29:43.62	7.63	21.33	19.94	22.37	0.09	0.11	0.18	0.25
D33J013422.5+304408.4	01:34:22.53	30:44:08.38	7.66	21.31	20.25	22.10	0.09	0.08	0.07	0.24
D33J013424.4+304739.0	01:34:24.36	30:47:39.05	7.69	20.77	19.69	21.53	0.07	0.08	0.12	0.30
D33J013417.2+303726.1	01:34:17.18	30:37:26.15	7.72	21.95	20.58	...	0.29	0.17	...	0.54
D33J013350.7+303203.7	01:33:50.66	30:32:03.73	7.77	19.93	18.95	20.21	0.04	0.07	0.10	0.12
D33J013344.6+304212.9	01:33:44.55	30:42:12.89	7.82	20.07	19.32	20.66	0.07	0.10	0.08	0.13
D33J013402.3+304242.9	01:34:02.26	30:42:42.95	7.84	20.99	20.30	21.62	0.10	0.14	0.05	0.40
D33J013413.9+304324.3	01:34:13.92	30:43:24.27	7.96	21.41	19.95	22.36	0.09	0.06	0.11	0.25
D33J013417.3+303211.5	01:34:17.31	30:32:11.51	7.96	21.17	20.14	21.85	0.08	0.06	0.22	0.44
D33J013332.4+303143.3	01:33:32.45	30:31:43.29	7.97	21.47	20.33	22.62	0.11	0.08	0.27	0.38
D33J013348.8+303415.8	01:33:48.82	30:34:15.78	7.97	20.34	...	20.98	0.08	...	0.08	0.25
D33J013429.6+304138.2	01:34:29.60	30:41:38.18	7.98	20.68	20.06	21.04	0.06	0.12	0.09	0.33
D33J013341.8+304312.2	01:33:41.79	30:43:12.18	8.06	21.44	20.38	22.53	0.14	0.12	0.08	0.42
D33J013417.7+304508.1	01:34:17.75	30:45:08.06	8.14	20.26	19.23	20.98	0.05	0.04	0.08	0.23
D33J013336.3+303243.7	01:33:36.30	30:32:43.69	8.18	21.45	20.69	22.18	0.12	0.11	0.09	0.31
D33J013348.8+303045.0	01:33:48.77	30:30:44.96	8.18	21.26	20.26	22.23	0.08	0.09	0.18	0.28
D33J013412.6+304126.7	01:34:12.61	30:41:26.73	8.32	21.12	20.03	22.13	0.08	0.06	0.12	0.21
D33J013402.4+303831.8	01:34:02.43	30:38:31.85	8.33	20.80	20.17	21.17	0.09	0.13	0.15	0.23
D33J013339.8+303412.2	01:33:39.77	30:34:12.22	8.37	20.86	20.03	21.61	0.13	0.10	0.11	0.48
D33J013413.3+304307.3	01:34:13.34	30:43:07.32	8.54	21.31	20.68	21.97	0.09	0.11	0.09	0.34
D33J013416.0+304644.0	01:34:16.00	30:46:43.97	8.55	21.17	20.21	22.03	0.07	0.07	0.08	0.21
D33J013406.6+303816.8	01:34:06.56	30:38:16.77	8.58	20.29	...	...	0.06	...	...	0.24
D33J013356.2+303909.1	01:33:56.24	30:39:09.07	8.59	20.54	19.32	...	0.19	0.09	...	0.23
D33J013409.3+304238.6	01:34:09.31	30:42:38.59	8.71	20.94	19.67	22.00	0.10	0.09	0.12	0.22
D33J013424.0+304859.0	01:34:24.01	30:48:58.97	8.84	20.97	19.85	21.58	0.08	0.07	0.09	0.17
D33J013337.5+303305.1	01:33:37.54	30:33:05.08	8.98	21.05	20.06	...	0.11	0.10	...	0.31
D33J013336.8+303434.4	01:33:36.80	30:34:34.36	9.06	20.39	19.16	20.96	0.06	0.06	0.18	0.25
D33J013413.9+303212.3	01:34:13.85	30:32:12.34	9.09	20.93	20.06	21.31	0.08	0.09	0.16	0.24
D33J013346.3+302908.9	01:33:46.25	30:29:08.91	9.12	20.59	19.83	21.15	0.07	0.09	0.17	0.22
D33J013413.5+304334.7	01:34:13.49	30:43:34.68	9.14	20.75	20.22	21.00	0.08	0.10	0.07	0.30
D33J013352.7+303416.2	01:33:52.73	30:34:16.25	9.22	21.11	19.42	21.64	0.10	0.09	0.12	0.21
D33J013426.9+304003.6	01:34:26.91	30:40:03.58	9.26	20.68	19.75	21.20	0.06	0.06	0.07	0.25
D33J013419.2+303430.2	01:34:19.17	30:34:30.25	9.38	21.16	20.18	...	0.09	0.08	...	0.23
D33J013343.1+303648.9	01:33:43.14	30:36:48.89	9.59	20.61	19.65	21.46	0.07	0.07	0.04	0.20
D33J013353.2+304835.2	01:33:53.18	30:48:35.17	9.60	20.16	18.97	...	0.06	0.07	...	0.20
D33J013350.8+304715.5	01:33:50.76	30:47:15.54	9.72	20.82	20.13	21.38	0.10	0.14	0.09	0.36
D33J013349.2+303218.1	01:33:49.24	30:32:18.10	9.81	21.33	20.31	22.14	0.14	0.12	0.14	0.32
D33J013421.1+304415.5	01:34:21.13	30:44:15.51	9.98	20.70	19.90	21.19	0.07	0.06	0.04	0.37
D33J013408.8+303946.5	01:34:08.82	30:39:46.55	10.11	20.56	19.52	21.12	0.08	0.08	0.12	0.23
D33J013355.0+303537.0	01:33:54.97	30:35:37.03	10.12	20.59	19.66	21.02	0.10	0.07	0.16	0.38
D33J013342.1+303210.7	01:33:42.10	30:32:10.68	10.38	21.09	19.20	...	0.18	0.08	...	0.31
D33J013356.1+303903.0	01:33:56.10	30:39:02.95	10.43	20.50	...	...	0.11	...	...	0.31
D33J013410.2+304450.6	01:34:10.23	30:44:50.61	10.45	20.71	19.91	21.42	0.08	0.08	0.07	0.32
D33J013409.5+303621.6	01:34:09.55	30:36:21.60	10.47	20.52	19.77	20.79	0.08	0.10	0.09	0.27
D33J013417.0+304640.2	01:34:17.03	30:46:40.19	10.56	20.77	19.50	21.73	0.08	0.06	0.06	0.25
D33J013338.8+303422.6	01:33:38.84	30:34:22.59	10.60	20.65	...	...	0.09	...	...	0.37
D33J013341.9+302951.8	01:33:41.91	30:29:51.75	10.60	21.08	19.98	22.12	0.13	0.11	0.27	0.36
D33J013413.9+304418.7	01:34:13.89	30:44:18.75	10.61	21.74	20.40	22.58	0.14	0.12	0.09	0.54
D33J013335.6+303649.2	01:33:35.57	30:36:49.21	10.70	20.80	20.31	21.78	0.10	0.27	0.23	0.48
D33J013419.7+303418.9	01:34:19.70	30:34:18.91	11.03	21.46	20.50	22.09	0.17	0.13	0.20	0.54
D33J013358.6+304400.1	01:33:58.57	30:44:00.13	11.16	20.51	19.61	21.29	0.07	0.05	0.05	0.31
D33J013412.5+303839.8	01:34:12.47	30:38:39.77	11.24	19.89	19.00	...	0.08	0.05	...	0.22
D33J013415.4+303727.6	01:34:15.43	30:37:27.59	11.28	20.98	20.04	...	0.12	0.13	...	0.28
D33J013356.0+304231.3	01:33:55.95	30:42:31.32	11.35	20.53	19.78	20.77	0.10	0.08	0.12	0.29
D33J013411.3+303535.2	01:34:11.35	30:35:35.16	11.45	20.49	19.67	21.07	0.07	0.08	0.12	0.26
D33J013353.4+303308.5	01:33:53.40	30:33:08.46	11.49	21.46	20.70	...	0.15	0.17	...	0.57
D33J013340.3+304741.7	01:33:40.31	30:47:41.75	11.50	20.94	19.97	21.95	0.07	0.08	0.09	0.26
D33J013335.5+303330.2	01:33:35.53	30:33:30.20	11.52	20.63	19.76	21.46	0.10	0.10	0.16	0.45
D33J013413.4+303317.7	01:34:13.40	30:33:17.68	11.52	21.30	19.98	...	0.11	0.09	...	0.38
D33J013357.4+304113.9	01:33:57.37	30:41:13.88	11.62	20.34	19.35	20.84	0.08	0.08	0.10	0.27
D33J013414.7+304609.7	01:34:14.70	30:46:09.66	11.78	21.79	...	...	0.18	...	...	0.39
D33J013336.3+303730.7	01:33:36.28	30:37:30.72	11.79	21.07	19.68	...	0.10	0.11	...	0.33
D33J013337.7+303218.9	01:33:37.70	30:32:18.92	11.88	20.89	19.81	...	0.09	0.07	...	0.30
D33J013420.3+304351.9	01:34:20.29	30:43:51.93	11.95	20.41	19.53	21.18	0.07	0.06	0.08	0.40
D33J013356.2+304343.0	01:33:56.19	30:43:42.99	11.97	20.74	19.63	21.57	0.10	0.07	0.10	0.38
D33J013341.4+304756.1	01:33:41.36	30:47:56.15	12.12	20.25	19.18	21.26	0.06	0.06	0.16	0.33
D33J013357.6+303805.4	01:33:57.57	30:38:05.36	12.34	20.56	19.77	20.74	0.13	0.11	0.18	0.58
D33J013346.6+304821.8	01:33:46.63	30:48:21.78	12.35	20.22	18.49	21.31	0.06	0.04	0.10	0.17
D33J013351.1+304400.4	01:33:51.11	30:44:00.42	12.35	21.16	20.18	22.13	0.20	0.19	0.13	0.70
D33J013411.3+304755.1	01:34:11.28	30:47:55.14	12.41	20.26	19.38	20.89	0.06	0.07	0.10	0.33
D33J013355.0+304643.2	01:33:55.03	30:46:43.21	12.86	20.11	19.29	20.71	0.05	0.06	0.07	0.15
D33J013349.8+303758.7	01:33:49.80	30:37:58.65	12.91	20.24	19.82	...	0.10	0.11	...	0.48
D33J013346.0+304231.9	01:33:46.03	30:42:31.86	12.92	20.22	19.30	21.05	0.09	0.08	0.10	0.46
D33J013350.0+303014.9	01:33:49.99	30:30:14.94	12.97	20.72	19.39	21.37	0.07	0.05	0.17	0.35
D33J013406.1+303734.0	01:34:06.08	30:37:33.96	13.02	21.06	19.71	22.07	0.08	0.08	0.24	0.20
D33J013402.8+304145.7	01:34:02.80	30:41:45.67	13.04	20.02	18.91	20.68	0.06	0.06	0.09	0.36
D33J013345.9+304421.4	01:33:45.91	30:44:21.44	13.12	20.57	...	21.53	0.10	...	0.12	0.46
D33J013359.9+303910.3	01:33:59.94	30:39:10.33	13.24	20.67	19.33	...	0.11	0.15	...	0.32
D33J013356.5+304632.1	01:33:56.51	30:46:32.13	13.29	22.57	20.89	...	0.23	0.26	...	1.00
D33J013411.9+302947.6	01:34:11.88	30:29:47.61	13.31	20.59	19.53	21.24	0.08	0.08	0.13	0.50

TABLE 1—*Continued*

Designation	R.A. (J2000.0)	Dec.	P (d)	V	I	B	σ_V	σ_I	σ_B	Amp.
D33J013408.1+303931.9	01:34:08.14	30:39:31.86	13.32	20.41	19.83	20.65	0.11	0.13	0.13	0.28
D33J013352.1+304849.6	01:33:52.06	30:48:49.61	13.33	20.50	19.53	21.23	0.10	0.10	0.15	0.60
D33J013415.1+304435.2	01:34:15.14	30:44:35.23	13.35	20.61	19.58	21.52	0.06	0.06	0.13	0.26
D33J013411.2+303519.1	01:34:11.95	30:35:19.07	13.37	20.79	19.49	21.39	0.11	0.07	0.18	0.48
D33J013408.8+304543.5	01:34:08.79	30:45:43.49	13.53	20.86	19.80	21.67	0.07	0.08	0.12	0.54
D33J013351.2+303758.2	01:33:51.24	30:37:58.19	13.56	19.88	...	20.58	0.08	...	0.24	0.39
D33J013402.5+303628.0	01:34:02.52	30:36:28.04	13.66	20.43	19.50	20.88	0.09	0.08	0.12	0.32
D33J013331.6+303704.5	01:33:31.60	30:37:04.48	13.76	21.11	20.13	...	0.16	0.14	...	0.47
D33J013338.8+303751.1	01:33:38.81	30:37:51.09	13.78	21.34	20.20	...	0.18	0.14	...	0.65
D33J013336.5+302933.5	01:33:36.54	30:29:33.54	13.94	21.49	20.05	...	0.16	0.08	...	0.54
D33J013408.4+303817.2	01:34:08.36	30:38:17.16	14.35	20.24	19.20	...	0.07	0.06	...	0.40
D33J013405.9+303928.9	01:34:05.89	30:39:28.87	14.59	20.01	19.32	...	0.06	0.05	...	0.42
D33J013409.1+303629.7	01:34:09.06	30:36:29.66	14.62	19.54	18.99	19.89	0.04	0.04	0.03	0.12
D33J013404.9+304022.6	01:34:04.91	30:40:22.58	14.63	20.17	18.73	21.09	0.11	0.09	0.13	0.48
D33J013348.3+304319.2	01:33:48.26	30:43:19.17	14.64	20.42	19.41	21.45	0.08	0.05	0.14	0.30
D33J013429.3+304339.0	01:34:29.32	30:43:38.96	14.77	20.30	19.38	20.87	0.06	0.06	0.10	0.54
D33J013401.3+304026.9	01:34:01.35	30:40:26.91	14.85	19.94	19.39	20.17	0.10	0.10	0.19	0.38
D33J013428.0+304101.3	01:34:28.02	30:41:01.28	14.89	20.32	19.63	...	0.06	0.10	...	0.39
D33J013415.1+304453.3	01:34:15.09	30:44:53.34	14.92	20.65	19.49	21.23	0.06	0.04	0.07	0.29
D33J013347.6+303634.1	01:33:47.59	30:36:34.13	14.93	20.64	19.83	21.18	0.10	0.10	0.07	0.47
D33J013346.2+303744.1	01:33:46.22	30:37:44.14	15.06	20.38	...	21.23	0.13	...	0.20	0.58
D33J013335.0+303336.5	01:33:34.96	30:33:36.46	15.07	20.18	19.36	20.84	0.06	0.06	0.21	0.51
D33J013348.2+303800.1	01:33:48.17	30:38:00.10	15.08	20.04	19.26	...	0.15	0.09	...	0.42
D33J013338.4+303602.5	01:33:38.36	30:36:02.52	15.13	21.29	20.13	...	0.15	0.14	...	0.65
D33J013401.0+304341.7	01:34:01.02	30:43:41.66	15.65	19.68	19.13	...	0.04	0.05	...	0.18
D33J013334.3+303500.3	01:33:34.27	30:35:00.35	15.69	20.42	19.50	21.46	0.09	0.07	0.28	0.43
D33J013401.6+303103.1	01:34:01.61	30:31:03.14	15.78	20.50	19.41	21.06	0.06	0.04	0.10	0.44
D33J013334.4+303530.2	01:33:34.41	30:35:30.15	15.84	19.84	18.89	20.39	0.04	0.06	0.07	0.20
D33J013420.5+304101.4	01:34:20.46	30:41:01.39	15.96	20.31	19.33	21.10	0.04	0.04	0.04	0.45
D33J013342.7+303260.0	01:33:42.68	30:32:59.96	16.05	20.09	19.27	...	0.09	0.07	...	0.56
D33J013404.1+304710.0	01:34:04.07	30:47:10.03	16.07	21.14	19.78	22.21	0.12	0.08	0.13	0.53
D33J013403.9+303615.8	01:34:03.95	30:36:15.77	16.28	20.34	19.29	20.93	0.07	0.06	0.12	0.43
D33J013417.8+303707.6	01:34:17.78	30:37:07.57	16.28	21.41	20.15	...	0.13	0.08	...	0.63
D33J013412.1+303636.2	01:34:12.14	30:36:36.25	16.40	20.41	19.35	21.38	0.05	0.05	0.06	0.34
D33J013417.9+303557.8	01:34:17.89	30:35:57.84	16.50	20.26	19.19	20.77	0.06	0.06	0.11	0.31
D33J013336.4+302856.0	01:33:36.41	30:28:55.96	16.80	20.72	19.52	21.68	0.07	0.06	0.23	0.45
D33J013353.4+303535.3	01:33:53.41	30:35:35.30	17.48	19.76	19.01	...	0.07	0.07	...	0.49
D33J013331.3+302946.9	01:33:31.35	30:29:46.86	17.54	20.38	19.45	...	0.10	0.07	...	0.64
D33J013345.0+303952.2	01:33:45.04	30:39:52.20	17.58	19.63	...	20.72	0.13	...	0.15	0.41
D33J013421.3+304537.1	01:34:21.34	30:45:37.08	17.83	20.01	18.97	20.81	0.04	0.04	0.09	0.41
D33J013414.7+304413.9	01:34:14.66	30:44:13.85	18.61	20.20	19.11	21.05	0.08	0.07	0.13	0.63
D33J013346.6+304645.9	01:33:46.65	30:46:45.95	18.81	19.79	18.95	20.73	0.06	0.07	0.07	0.51
D33J013406.8+303940.2	01:34:06.76	30:39:40.25	18.89	19.84	18.96	20.65	0.06	0.05	0.04	0.46
D33J013408.8+302857.7	01:34:08.77	30:28:57.69	19.14	20.59	19.02	21.20	0.05	0.06	0.10	0.39
D33J013410.2+303407.8	01:34:10.22	30:34:07.79	19.36	20.64	19.44	21.65	0.08	0.06	0.15	0.43
D33J013331.5+303351.2	01:33:31.47	30:33:51.23	20.18	19.19	...	20.66	0.07	...	0.07	0.23
D33J013343.4+304356.5	01:33:43.43	30:43:56.46	20.19	19.42	18.94	19.74	0.04	0.07	0.13	0.26
D33J013419.0+304441.4	01:34:18.99	30:44:41.43	20.21	20.26	18.91	21.38	0.06	0.04	0.13	0.42
D33J013331.8+302957.8	01:33:31.76	30:29:57.77	21.48	19.88	...	...	0.06	...	...	0.40
D33J013401.7+303923.1	01:34:01.75	30:39:23.08	21.67	19.89	18.80	...	0.14	0.13	...	0.47
D33J013351.4+303830.7	01:33:51.45	30:38:30.73	21.70	20.24	18.93	...	0.12	0.09	...	0.59
D33J013420.6+304543.7	01:34:20.56	30:45:43.67	21.82	19.48	18.62	20.19	0.04	0.06	0.06	0.42
D33J013424.1+303953.5	01:34:24.14	30:39:53.46	21.91	19.85	18.80	20.69	0.04	0.05	0.05	0.50
D33J013344.6+304314.1	01:33:44.63	30:43:14.09	22.42	19.70	18.76	20.58	0.04	0.04	0.08	0.32
D33J013333.3+303747.1	01:33:33.29	30:37:47.14	22.67	20.59	19.37	...	0.06	0.08	...	0.44
D33J013350.7+303544.2	01:33:50.71	30:35:44.23	23.31	19.96	18.95	21.24	0.08	0.05	0.27	0.55
D33J013417.6+303819.7	01:34:17.55	30:38:19.68	23.31	20.37	19.20	21.30	0.06	0.06	0.18	0.40
D33J013358.8+303719.7	01:33:58.81	30:37:19.74	24.56	20.09	18.88	...	0.07	0.06	...	0.54
D33J013401.2+303113.7	01:34:01.18	30:31:13.69	24.88	19.30	18.29	19.68	0.04	0.03	0.12	0.38
D33J013409.6+304536.0	01:34:09.61	30:45:36.04	25.29	20.19	19.00	21.36	0.05	0.06	0.10	1.30
D33J013355.3+304343.5	01:33:55.28	30:43:43.47	26.39	19.96	19.06	20.94	0.06	0.06	0.06	0.38
D33J013350.6+304754.7	01:33:50.59	30:47:54.67	26.48	20.02	18.73	21.18	0.04	0.04	0.12	0.30
D33J013347.2+303536.2	01:33:47.17	30:35:36.20	26.50	19.84	18.87	20.93	0.06	0.05	0.18	0.47
D33J013411.3+304156.3	01:34:11.27	30:41:56.29	26.57	19.39	18.32	20.13	0.03	0.03	0.06	0.35
D33J013357.5+303843.8	01:33:57.53	30:38:43.77	26.64	18.48	...	...	0.05	...	...	0.23
D33J013331.4+303016.3	01:33:31.42	30:30:16.34	26.98	20.40	19.21	...	0.08	0.06	...	0.52
D33J013423.6+304204.6	01:34:23.59	30:42:04.64	27.28	19.45	18.54	20.27	0.05	0.07	0.08	0.55
D33J013354.3+304111.2	01:33:54.29	30:41:11.18	27.97	19.17	...	20.03	0.05	...	0.10	0.38
D33J013332.9+303548.4	01:33:32.94	30:35:48.45	30.29	19.52	18.57	...	0.04	0.05	...	0.50
D33J013401.0+304310.2	01:34:01.04	30:43:10.23	30.50	19.57	18.61	...	0.05	0.05	...	0.49
D33J013415.9+304612.7	01:34:15.95	30:46:12.72	31.25	20.07	18.72	21.07	0.08	0.05	0.20	0.62
D33J013358.1+304557.5	01:33:58.15	30:45:57.46	31.44	19.95	18.77	...	0.04	0.04	...	0.27
D33J013354.8+304106.5	01:33:54.78	30:41:06.54	33.95	19.23	18.22	20.12	0.04	0.05	0.07	0.45
D33J013354.9+304532.5	01:33:54.89	30:45:32.47	35.74	19.06	18.16	20.05	0.05	0.05	0.08	0.46
D33J013412.2+304641.4	01:34:12.24	30:46:41.38	35.86	19.37	18.28	20.18	0.08	0.06	0.08	0.53
D33J013352.4+303844.2	01:33:52.44	30:38:44.16	35.95	19.19	18.20	...	0.12	0.07	...	0.58
D33J013341.2+303550.0	01:33:41.20	30:35:49.99	36.09	19.88	18.68	...	0.11	0.08	...	0.71
D33J013415.8+303617.8	01:34:15.80	30:36:17.79	36.35	19.67	18.45	20.81	0.04	0.03	0.08	0.25
D33J013341.6+303609.2	01:33:41.58	30:36:09.22	37.34	19.36	18.39	20.51	0.05	0.06	0.12	0.61
D33J013350.9+303336.1	01:33:50.86	30:33:36.14	37.57	20.56	19.10	21.48	0.06	0.05	0.07	0.35
D33J013359.4+303226.7	01:33:59.42	30:32:26.74	50.28	19.95	18.52	20.78	0.12	0.04	0.09	0.37

TABLE 1—*Continued*

Designation	R.A. (J2000.0)	Dec.	P (d)	V	I	B	σ_V	σ_I	σ_B	Amp.
D33J013331.1+303143.0	01:33:31.11	30:31:43.00	55.14	19.28	18.13	...	0.04	0.03	...	0.29
D33J013412.6+303644.5	01:34:12.61	30:36:44.50	55.91	20.08	18.95	20.59	0.10	0.08	0.11	0.55
D33J013347.5+304423.2	01:33:47.51	30:44:23.18	55.99	19.55	18.39	20.75	0.05	0.05	0.07	0.25
D33J013405.1+303851.4	01:34:05.12	30:38:51.36	56.84	18.99	17.84	20.27	0.03	0.06	0.10	0.24
D33J013403.8+303911.1	01:34:03.82	30:39:11.09	57.45	19.64	18.28	20.73	0.06	0.05	0.16	0.35
D33J013337.5+303138.5	01:33:37.47	30:31:38.53	57.65	19.24	18.10	...	0.04	0.03	...	0.41
D33J013351.8+303951.0	01:33:51.84	30:39:51.01	67.32	18.41	17.65	...	0.06	0.04	...	0.38
D33J013343.9+303245.1	01:33:43.88	30:32:45.06	73.94	18.63	17.46	19.41	0.07	0.03	0.16	0.32

TABLE 2
DIRECT ECLIPSING BINARIES

Designation	R.A. (J2000.0)	Dec.	Per. (d)	V	I	B	σ_V	σ_I	σ_B	R_1	R_2	i ($^\circ$)	e
D33J013422.1+304710.4	01:34:22.08	30:47:10.39	1.0530	19.93	19.85	19.76	0.04	0.07	0.02	0.63	0.36	63.31	0.03
D33J013332.0+303839.2	01:33:31.99	30:38:39.23	1.6691	19.64	...	19.66	0.06	...	0.13	0.63	0.36	73.09	0.03
D33J013418.0+303806.6	01:34:18.03	30:38:06.61	1.8717	19.88	...	19.85	0.06	...	0.12	0.48	0.46	66.10	0.01
D33J013415.0+303431.5	01:34:15.00	30:34:31.48	1.8773	19.92	19.51	19.81	0.04	0.07	0.04	0.65	0.35	53.97	0.03
D33J013347.4+303249.0	01:33:47.44	30:32:49.02	1.8970	20.56	20.23	20.78	0.07	0.15	0.25	0.41	0.32	79.63	0.00
D33J013354.4+304401.7	01:33:54.45	30:44:01.68	1.8989	20.64	19.76	20.71	0.08	0.12	0.03	0.63	0.37	65.28	0.00
D33J013337.6+303803.1	01:33:37.59	30:38:03.08	1.9020	20.86	...	20.95	0.10	...	0.25	0.44	0.35	85.99	0.02
D33J013350.2+303317.8	01:33:50.24	30:33:17.82	2.0971	20.24	20.08	20.11	0.06	0.10	0.20	0.38	0.35	80.53	0.01
D33J013345.5+304242.7	01:33:45.49	30:42:42.73	2.1457	19.50	19.67	19.44	0.04	0.10	0.03	0.57	0.42	74.34	0.01
D33J013356.2+303358.6	01:33:56.23	30:33:58.61	2.3372	19.06	...	18.88	0.03	...	0.17	0.59	0.41	82.06	0.01
D33J013419.3+303321.6	01:34:19.34	30:33:21.63	2.5021	20.42	20.58	20.49	0.06	0.13	0.17	0.62	0.38	87.86	0.01
D33J013339.8+303806.0	01:33:39.82	30:38:06.00	2.5194	18.94	...	18.95	0.03	...	0.06	0.53	0.47	48.46	0.00
D33J013402.3+304409.6	01:34:02.28	30:44:09.60	2.6622	19.57	20.09	19.36	0.03	0.09	0.02	0.52	0.36	65.02	0.01
D33J013354.3+304029.6	01:33:54.28	30:40:29.64	2.7081	18.89	...	...	0.06	...	...	0.55	0.36	88.24	0.01
D33J013412.4+304337.9	01:34:12.40	30:43:37.92	2.7746	20.24	20.30	20.03	0.04	0.13	0.02	0.61	0.39	56.76	0.02
D33J013343.1+303845.1	01:33:43.11	30:38:45.13	2.8873	18.65	18.98	18.52	0.02	0.09	0.06	0.60	0.40	51.54	0.01
D33J013352.0+303905.0	01:33:51.95	30:39:04.97	2.9680	19.17	...	19.15	0.09	...	0.11	0.60	0.40	70.85	0.01
D33J013337.9+303120.7	01:33:37.88	30:31:20.72	3.0678	19.69	19.73	19.63	0.05	0.10	0.21	0.54	0.37	73.73	0.01
D33J013346.4+303407.6	01:33:46.42	30:34:07.65	3.1535	19.60	19.90	19.37	0.04	0.13	0.21	0.57	0.38	76.29	0.01
D33J013413.0+303426.7	01:34:13.02	30:34:26.69	3.2613	20.19	...	19.98	0.05	...	0.05	0.37	0.25	79.40	0.02
D33J013352.0+304312.4	01:33:51.99	30:43:12.36	3.6488	20.12	20.28	19.97	0.09	0.15	0.08	0.56	0.39	79.60	0.04
D33J013356.5+304018.4	01:33:56.50	30:40:18.41	3.8329	19.97	...	19.93	0.07	...	0.03	0.45	0.31	77.08	0.03
D33J013349.3+304037.1	01:33:49.29	30:40:37.12	3.8462	19.37	...	19.38	0.04	...	0.07	0.57	0.37	73.56	0.01
D33J013400.9+303545.1	01:34:00.90	30:35:45.06	3.9142	19.97	19.46	19.99	0.05	0.08	0.21	0.46	0.34	68.26	0.02
D33J013358.1+303400.2	01:33:58.14	30:34:00.19	4.0553	19.77	20.14	19.65	0.04	0.16	0.11	0.59	0.40	60.80	0.03
D33J013407.3+304635.5	01:34:07.27	30:46:35.55	4.4240	19.88	20.25	19.67	0.04	0.12	0.01	0.58	0.37	71.66	0.00
D33J013347.9+304301.6	01:33:47.93	30:43:01.56	4.4330	19.62	18.63	19.61	0.04	0.11	0.03	0.58	0.42	76.83	0.03
D33J013346.2+304439.9	01:33:46.17	30:44:39.87	4.8938	19.39	19.70	19.28	0.03	0.10	0.01	0.22	0.18	85.06	0.07
D33J013357.2+303219.0	01:33:57.19	30:32:19.03	4.9410	19.10	19.11	18.89	0.02	0.05	0.08	0.64	0.35	53.10	0.03
D33J013429.8+304548.2	01:34:29.81	30:45:48.20	5.0405	20.91	20.61	...	0.13	0.19	...	0.40	0.38	88.50	0.08
D33J013355.1+302957.4	01:33:55.08	30:29:57.41	5.0950	20.20	20.63	20.01	0.05	0.12	0.13	0.36	0.36	89.75	0.01
D33J013411.9+303628.0	01:34:11.91	30:36:27.98	5.2199	20.09	19.91	20.12	0.07	0.08	0.12	0.35	0.30	70.36	0.00
D33J013342.5+303314.4	01:33:42.51	30:33:14.40	5.3325	18.88	18.82	...	0.03	0.06	...	0.55	0.41	49.66	0.03
D33J013338.5+303124.2	01:33:38.54	30:31:24.17	5.5411	18.90	18.99	18.81	0.02	0.05	0.09	0.57	0.43	54.04	0.04
D33J013352.7+303532.3	01:33:52.72	30:35:32.28	5.5966	19.55	18.10	19.83	0.05	0.06	0.18	0.50	0.41	56.51	0.00
D33J013337.0+303032.8	01:33:37.02	30:30:32.76	6.1616	19.80	19.87	19.63	0.03	0.10	0.11	0.23	0.16	87.67	0.22
D33J013426.7+304334.8	01:34:26.71	30:43:34.79	6.2124	19.83	20.00	19.61	0.03	0.08	0.01	0.62	0.38	58.48	0.03
D33J013341.1+304501.7	01:33:41.13	30:45:01.69	6.8158	19.39	...	19.47	0.03	...	0.04	0.44	0.24	72.50	0.00
D33J013346.7+304212.3	01:33:46.68	30:42:12.27	6.9615	19.43	19.04	19.56	0.05	0.06	0.03	0.65	0.35	61.32	0.03
D33J013348.0+304449.6	01:33:48.00	30:44:49.63	7.2783	18.83	18.72	18.90	0.03	0.03	0.02	0.66	0.34	54.39	0.09
D33J013404.9+304318.4	01:34:04.90	30:43:18.37	7.3178	20.24	20.29	20.17	0.08	0.15	0.08	0.62	0.38	79.44	0.01
D33J013355.6+303412.8	01:33:55.60	30:34:12.83	7.4468	19.51	19.83	19.39	0.04	0.07	0.02	0.22	0.21	74.96	0.16
D33J013354.0+303304.5	01:33:54.03	30:33:04.54	8.7741	18.84	18.46	18.92	0.05	0.04	0.18	0.49	0.34	78.91	0.03
D33J013336.9+303019.8	01:33:36.92	30:30:19.80	9.1422	19.20	18.92	19.28	0.03	0.07	0.09	0.58	0.42	58.73	0.04
D33J013342.1+304729.7	01:33:42.06	30:47:29.65	22.8104	18.39	18.12	18.64	0.04	0.05	0.05	0.50	0.31	60.51	0.00
D33J013344.9+304433.2	01:33:44.89	30:44:33.21	27.8296	17.99	17.70	...	0.04	0.06	...	0.48	0.33	66.93	0.09
D33J013355.0+304816.1	01:33:55.00	30:48:16.06	48.7780	20.48	20.01	20.71	0.05	0.15	0.04	0.27	0.17	73.79	0.06

TABLE 3
DIRECT PERIODIC VARIABLES

Designation	R.A. (J2000.0)	Dec.	P (d)	V	I	B	σ_V	σ_I	σ_B
D33J013420.2+303400.7	01:34:20.18	30:34:00.73	3.2	21.11	20.66	21.23	0.17	0.14	0.13
D33J013334.2+303058.0	01:33:34.24	30:30:58.04	3.7	21.47	20.74	21.56	0.23	0.25	0.24
D33J013416.9+303454.6	01:34:16.87	30:34:54.58	4.6	20.91	20.74	20.77	0.13	0.19	0.08
D33J013339.7+302942.9	01:33:39.68	30:29:42.94	4.9	20.98	20.51	20.88	0.13	0.14	0.08
D33J013341.8+303452.1	01:33:41.83	30:34:52.06	6.0	21.20	...	21.69	0.23	...	0.13
D33J013333.5+303320.5	01:33:33.50	30:33:20.49	9.0	19.90	19.42	20.17	0.13	0.12	0.13
D33J013409.8+303814.5	01:34:09.84	30:38:14.46	32.5	20.57	18.48	21.46	0.22	0.25	0.08
D33J013331.5+303255.0	01:33:31.50	30:32:55.03	49.0	20.94	20.56	21.29	0.27	0.49	0.10
D33J013356.8+304256.0	01:33:56.75	30:42:55.98	49.2	...	20.92	...	...	0.63	...
D33J013409.7+303625.5	01:34:09.67	30:36:25.49	52.5	...	20.33	...	...	0.36	...
D33J013420.8+303943.0	01:34:20.75	30:39:42.98	55.0	18.07	17.87	18.10	0.08	0.08	0.09
D33J013423.1+304847.8	01:34:23.07	30:48:47.77	56.0	21.16	19.06	22.84	0.25	0.16	0.23
D33J013338.9+303652.5	01:33:38.93	30:36:52.52	62.0	...	20.67	...	...	0.49	...
D33J013351.3+303900.9	01:33:51.35	30:39:00.94	62.0	17.52	...	18.20	0.13	...	0.09
D33J013349.5+303109.6	01:33:49.55	30:31:09.55	62.1	...	19.87	...	...	0.22	...
D33J013403.1+303650.4	01:34:03.10	30:36:50.40	62.3	...	18.88	...	...	0.11	...
D33J013401.1+304702.5	01:34:01.08	30:47:02.47	63.0	...	20.07	...	...	0.27	...
D33J013410.6+304111.1	01:34:10.63	30:41:11.11	63.4	...	19.83	...	...	0.25	...
D33J013351.3+303739.9	01:33:51.33	30:37:39.94	64.4	...	19.48	...	...	0.18	...
D33J013402.2+304347.4	01:34:02.23	30:43:47.42	64.9	...	20.41	...	...	0.58	...
D33J013413.7+303543.9	01:34:13.75	30:35:43.94	65.0	...	20.94	...	...	0.45	...
D33J013357.2+303631.4	01:33:57.19	30:36:31.35	65.1	...	19.68	...	...	0.21	...
D33J013357.1+304455.2	01:33:57.14	30:44:55.17	69.4	21.47	20.02	21.48	0.34	0.44	0.11
D33J013354.6+303659.5	01:33:54.56	30:36:59.51	70.4	...	20.63	...	...	0.36	...
D33J013338.6+303108.7	01:33:38.64	30:31:08.65	74.0	19.96	17.08	...	0.13	0.05	...
D33J013345.0+303008.2	01:33:45.00	30:30:08.21	75.1	21.25	19.33	...	0.32	0.14	...
D33J013402.1+303414.1	01:34:02.15	30:34:14.09	75.4	...	20.07	...	...	0.39	...
D33J013427.3+304407.3	01:34:27.31	30:44:07.33	76.6	21.46	20.26	22.05	0.30	0.13	0.25
D33J013351.0+303633.8	01:33:51.05	30:36:33.77	76.7	...	21.06	...	...	0.50	...
D33J013348.9+304823.0	01:33:48.93	30:48:23.04	77.0	20.83	19.16	...	0.20	0.11	...
D33J013412.8+303914.7	01:34:12.75	30:39:14.73	77.7	20.37	18.27	...	0.24	0.04	...
D33J013346.6+304418.0	01:33:46.56	30:44:17.99	78.3	...	20.27	...	...	0.28	...
D33J013400.1+304435.1	01:34:00.13	30:44:35.09	79.7	...	19.99	...	...	0.23	...
D33J013427.5+303951.2	01:34:27.46	30:39:51.23	80.4	...	21.07	...	...	0.54	...
D33J013426.6+304754.3	01:34:26.60	30:47:54.31	81.8	21.85	19.76	...	0.42	0.20	...
D33J013413.5+303536.5	01:34:13.51	30:35:36.46	82.1	...	20.58	...	...	0.43	...
D33J013414.5+304311.0	01:34:14.54	30:43:10.95	82.6	...	19.87	...	...	0.30	...
D33J013403.6+304305.4	01:34:03.58	30:43:05.41	84.2	...	20.67	...	...	0.61	...
D33J013427.1+303952.7	01:34:27.13	30:39:52.67	84.9	...	19.67	...	...	0.39	...
D33J013350.0+304610.2	01:33:49.99	30:46:10.16	85.3	...	20.10	...	...	0.29	...
D33J013413.3+303938.6	01:34:13.30	30:39:38.63	85.7	...	20.26	...	...	0.35	...
D33J013412.9+303639.3	01:34:12.92	30:36:39.35	86.0	...	19.60	...	...	0.16	...
D33J013422.3+304116.2	01:34:22.35	30:41:16.19	86.3	...	19.47	...	...	0.18	...
D33J013403.2+304505.2	01:34:03.16	30:45:05.22	86.6	...	19.85	...	...	0.29	...
D33J013353.5+303816.4	01:33:53.47	30:38:16.37	87.0	20.54	18.44	20.94	0.22	0.20	0.06
D33J013402.5+302907.5	01:34:02.50	30:29:07.51	89.1	21.52	19.70	...	0.32	0.10	0.21
D33J013410.6+303750.9	01:34:10.58	30:37:50.95	89.1	20.77	19.55	21.08	0.19	0.07	0.08
D33J013354.2+303149.4	01:33:54.20	30:31:49.44	89.5	...	19.74	...	...	0.30	...
D33J013410.3+303034.9	01:34:10.28	30:30:34.92	90.0	...	20.45	...	...	0.40	...
D33J013409.9+304738.5	01:34:09.95	30:47:38.47	90.3	22.00	19.96	...	0.56	0.25	...
D33J013407.0+303329.0	01:34:06.99	30:33:29.05	93.0	...	20.35	...	...	0.30	...
D33J013342.9+303409.1	01:33:42.89	30:34:09.12	93.9	...	19.46	...	...	0.22	...
D33J013347.9+304148.7	01:33:47.86	30:41:48.69	94.0	...	19.56	...	...	0.20	...
D33J013411.7+303343.1	01:34:11.71	30:33:43.13	94.8	22.29	20.12	...	0.45	0.29	...
D33J013355.1+303101.0	01:33:55.13	30:31:00.98	95.2	...	19.79	...	...	0.17	...
D33J013343.8+303939.4	01:33:43.80	30:39:39.42	95.3	...	20.06	...	...	0.37	...
D33J013354.5+304446.2	01:33:54.49	30:44:46.21	95.3	...	20.45	...	...	0.43	...
D33J013420.4+303117.5	01:34:20.37	30:31:17.54	96.2	22.16	19.92	...	0.35	0.26	...
D33J013428.6+304522.2	01:34:28.62	30:45:22.18	97.1	21.94	20.09	...	0.45	0.19	...
D33J013419.9+304613.2	01:34:19.93	30:46:13.22	97.4	...	20.01	...	...	0.22	...
D33J013333.9+302916.4	01:33:33.86	30:29:16.40	97.7	...	19.35	...	...	0.33	...
D33J013402.0+303132.9	01:34:02.03	30:31:32.88	110.0	22.33	20.03	...	0.59	0.27	...

TABLE 4
DIRECT MISCELLANEOUS VARIABLES

Designation	R.A. (J2000.0)	Dec.	J_S	V	I	B	σ_V	σ_I	σ_B
D33J013331.1+303502.4	01:33:31.10	30:35:02.43	1.90	20.03	16.83	21.77	0.13	0.16	0.11
D33J013331.5+303410.2	01:33:31.51	30:34:10.17	1.40	19.43	17.64	21.39	0.08	0.06	0.07
D33J013333.2+303505.7	01:33:33.16	30:35:05.75	1.90	17.41	17.33	17.57	0.04	0.03	0.04
D33J013333.4+303146.7	01:33:33.35	30:31:46.70	2.26	20.64	17.06	...	0.23	0.06	...
D33J013333.4+303350.7	01:33:33.41	30:33:50.73	7.82	18.91	16.30	22.40	0.46	0.24	0.35
D33J013333.5+303149.2	01:33:33.52	30:31:49.19	1.98	19.69	16.92	20.62	0.12	0.07	0.04
D33J013333.9+303402.6	01:33:33.85	30:34:02.57	2.99	19.42	16.83	21.32	0.21	0.09	0.06
D33J013334.8+303211.4	01:33:34.84	30:32:11.36	1.31	18.77	18.61	18.89	0.05	0.05	0.04
D33J013334.8+303835.7	01:33:34.78	30:38:35.70	1.31	20.87	19.41	...	0.27	0.24	...
D33J013335.2+303040.6	01:33:35.24	30:30:40.57	2.20	19.45	16.76	21.20	0.11	0.03	0.04
D33J013335.2+303559.9	01:33:35.16	30:35:59.93	12.09	16.16	15.97	...	0.27	0.31	...
D33J013335.5+303403.2	01:33:35.53	30:34:03.18	1.26	19.18	16.92	19.91	0.06	0.05	0.03
D33J013335.9+303344.0	01:33:35.92	30:33:43.99	8.07	19.71	16.42	...	0.58	0.22	...
D33J013336.7+303531.8	01:33:36.65	30:35:31.77	2.20	18.16	15.69	20.17	0.10	0.03	0.05
D33J013338.0+303235.6	01:33:38.04	30:32:35.63	1.62	20.52	17.31	22.12	0.15	0.04	0.13
D33J013338.8+303532.5	01:33:38.77	30:35:32.46	1.40	19.38	16.37	...	0.07	0.02	...
D33J013339.0+303505.6	01:33:38.97	30:35:05.64	5.16	19.56	16.82	20.27	0.27	0.15	0.05
D33J013339.0+303828.9	01:33:38.96	30:38:28.86	8.96	19.56	16.77	20.26	0.41	0.41	0.06
D33J013339.1+302944.1	01:33:39.08	30:29:44.09	3.91	20.60	18.37	22.61	0.76	0.11	0.19
D33J013339.3+303049.4	01:33:39.29	30:30:49.39	3.63	19.40	...	...	0.23	...	...
D33J013339.3+303118.6	01:33:39.27	30:31:18.62	5.30	17.18	...	18.61	0.20	...	0.02
D33J013339.4+303512.4	01:33:39.37	30:35:12.41	1.24	19.50	17.10	20.50	0.08	0.03	0.07
D33J013339.8+303451.9	01:33:39.75	30:34:51.93	1.30	18.54	16.65	18.89	0.06	0.08	0.02
D33J013340.0+303201.1	01:33:39.96	30:32:01.10	1.28	19.87	17.13	20.34	0.15	0.23	0.03
D33J013340.4+303131.1	01:33:40.39	30:31:31.12	1.75	20.98	17.14	...	0.21	0.12	...
D33J013341.3+303212.7	01:33:41.34	30:32:12.66	1.21	18.14	17.95	18.20	0.04	0.07	0.01
D33J013341.6+303220.3	01:33:41.64	30:32:20.25	4.89	16.38	15.30	17.20	0.05	0.05	0.04
D33J013342.3+303608.0	01:33:42.34	30:36:07.99	2.68	19.76	16.84	...	0.14	0.04	...
D33J013342.4+303631.0	01:33:42.43	30:36:30.96	1.70	19.37	17.29	21.07	0.08	0.03	0.07
D33J013342.4+303910.9	01:33:42.39	30:39:10.91	1.79	20.37	19.95	21.00	0.20	0.16	0.01
D33J013342.6+303534.4	01:33:42.60	30:35:34.37	2.68	20.09	16.90	...	0.17	0.14	...
D33J013342.9+303234.4	01:33:42.88	30:32:34.44	3.07	19.22	16.75	19.73	0.10	0.04	0.03
D33J013343.3+303318.6	01:33:43.28	30:33:18.61	1.65	18.52	16.55	18.82	0.05	0.04	0.02
D33J013343.5+302938.3	01:33:43.46	30:29:38.30	3.68	20.37	17.39	...	0.19	0.06	...
D33J013344.0+303916.1	01:33:43.95	30:39:16.09	1.74	20.29	...	...	0.27	...	...
D33J013344.1+303205.6	01:33:44.12	30:32:05.60	2.22	17.17	16.22	17.89	0.05	0.02	0.04
D33J013344.3+303635.7	01:33:44.31	30:36:35.71	1.33	18.99	16.75	19.18	0.06	0.10	0.02
D33J013344.4+303227.7	01:33:44.41	30:32:27.75	2.83	19.47	17.08	20.70	0.10	0.03	0.08
D33J013345.1+303606.3	01:33:45.13	30:36:06.30	1.76	20.43	17.48	...	0.18	0.06	...
D33J013345.1+303619.8	01:33:45.13	30:36:19.76	2.51	16.57	16.07	16.99	0.05	0.03	0.03
D33J013345.1+303838.5	01:33:45.09	30:38:38.54	1.22	20.30	...	20.64	0.16	...	0.11
D33J013345.1+304715.3	01:33:45.12	30:47:15.26	1.58	21.33	19.41	22.08	0.27	0.10	0.12
D33J013345.2+303138.2	01:33:45.19	30:31:38.21	3.92	18.20	15.90	20.19	0.17	0.13	0.03
D33J013345.5+304452.7	01:33:45.50	30:44:52.73	1.39	21.35	19.97	...	0.34	0.22	...
D33J013345.6+303300.1	01:33:45.58	30:33:00.11	1.32	21.44	17.99	...	0.42	0.06	...
D33J013346.6+304125.9	01:33:46.64	30:41:25.87	6.41	18.71	16.16	21.23	0.30	0.12	0.16
D33J013346.7+304210.5	01:33:46.74	30:42:10.52	2.46	20.29	18.38	21.51	0.29	0.14	0.11
D33J013347.0+303921.1	01:33:46.99	30:39:21.10	1.23	19.93	...	...	0.16	...	...
D33J013347.5+304024.5	01:33:47.53	30:40:24.49	1.25	20.15	17.55	...	0.15	0.06	...
D33J013347.5+304155.5	01:33:47.54	30:41:55.50	1.74	19.68	17.15	20.99	0.10	0.03	0.03
D33J013347.5+304630.9	01:33:47.51	30:46:30.94	3.58	19.89	17.09	21.90	0.31	0.11	0.13
D33J013347.8+303813.7	01:33:47.76	30:38:13.74	1.39	20.03	19.18	20.93	0.14	0.09	0.15
D33J013348.7+304659.1	01:33:48.70	30:46:59.08	1.48	21.38	19.79	21.68	0.28	0.13	0.05
D33J013348.8+303709.2	01:33:48.83	30:37:09.15	1.88	20.32	17.49	21.71	0.17	0.08	0.05
D33J013348.8+303841.0	01:33:48.78	30:38:40.96	1.39	19.37	...	...	0.12	...	...
D33J013348.8+304212.0	01:33:48.78	30:42:11.98	2.46	19.65	17.04	20.31	0.13	0.10	0.04
D33J013349.8+303224.6	01:33:49.79	30:32:24.61	3.39	19.32	16.76	20.78	0.13	0.07	0.10
D33J013349.8+304257.5	01:33:49.83	30:42:57.45	3.77	19.32	16.96	19.89	0.16	0.11	0.03
D33J013349.9+302928.9	01:33:49.92	30:29:28.86	3.02	18.42	16.05	19.12	0.08	0.13	0.01
D33J013350.0+304314.8	01:33:50.05	30:43:14.77	2.91	19.85	17.45	21.65	0.16	0.07	0.12
D33J013350.1+303910.8	01:33:50.10	30:39:10.83	1.95	20.04	16.76	...	0.41	0.37	...
D33J013350.3+303526.3	01:33:50.28	30:35:26.34	1.26	21.14	18.06	...	0.30	0.04	...
D33J013350.5+303225.3	01:33:50.51	30:32:25.26	1.86	19.89	17.23	22.21	0.11	0.07	0.12
D33J013350.6+303230.3	01:33:50.57	30:32:30.27	3.80	18.15	15.39	19.52	0.17	0.10	0.02
D33J013350.6+303617.1	01:33:50.61	30:36:17.06	1.46	19.76	16.85	21.42	0.10	0.04	0.04
D33J013351.0+304327.9	01:33:50.98	30:43:27.87	1.24	20.39	17.62	...	0.13	0.10	...
D33J013351.1+303827.1	01:33:51.07	30:38:27.13	1.54	18.21	...	...	0.06	...	...
D33J013351.4+303640.0	01:33:51.43	30:36:40.03	2.10	19.66	16.23	21.91	0.22	0.15	0.09

TABLE 4—*Continued*

Designation	R.A. (J2000.0)	Dec.	J_S	V	I	B	σ_V	σ_I	σ_B
D33J013351.4+303842.3	01:33:51.44	30:38:42.29	1.57	19.90	...	...	0.27	...	...
D33J013352.0+303832.0	01:33:52.04	30:38:31.96	1.37	19.70	...	...	0.13	...	...
D33J013352.2+303646.6	01:33:52.21	30:36:46.58	1.25	20.25	17.38	21.48	0.10	0.05	0.10
D33J013352.4+303736.4	01:33:52.37	30:37:36.41	1.42	20.23	17.04	...	0.14	0.15	...
D33J013352.4+303909.8	01:33:52.38	30:39:09.79	4.25	16.35	15.96	16.64	0.06	0.05	0.01
D33J013352.5+303816.0	01:33:52.52	30:38:15.97	6.27	16.92	16.05	17.55	0.10	0.05	0.01
D33J013353.0+303842.8	01:33:52.97	30:38:42.83	1.49	19.42	19.08	19.11	0.17	0.17	0.03
D33J013353.5+303519.9	01:33:53.53	30:35:19.89	2.09	19.52	17.05	20.15	0.10	0.09	0.04
D33J013353.5+303915.2	01:33:53.47	30:39:15.23	1.37	19.80	...	...	0.17	...	...
D33J013353.6+303210.6	01:33:53.55	30:32:10.61	1.23	19.70	17.57	21.34	0.08	0.02	0.07
D33J013354.3+303320.5	01:33:54.31	30:33:20.49	1.29	20.27	17.72	21.95	0.12	0.05	0.07
D33J013354.8+303248.9	01:33:54.79	30:32:48.87	1.46	18.32	18.45	18.29	0.04	0.04	0.04
D33J013355.6+304044.6	01:33:55.63	30:40:44.58	1.91	19.52	17.25	21.07	0.10	0.06	0.07
D33J013355.6+304121.4	01:33:55.57	30:41:21.37	1.69	20.50	16.65	22.03	0.26	0.11	0.16
D33J013356.0+303834.7	01:33:56.05	30:38:34.73	2.21	19.71	17.58	19.98	0.14	0.16	0.02
D33J013356.1+302944.1	01:33:56.07	30:29:44.12	1.30	20.88	20.64	21.21	0.18	0.40	0.04
D33J013356.2+303258.7	01:33:56.21	30:32:58.74	1.48	19.46	17.30	...	0.12	0.06	...
D33J013356.8+304000.9	01:33:56.78	30:40:00.95	1.40	19.44	...	...	0.11	...	...
D33J013357.0+303355.3	01:33:57.02	30:33:55.26	3.14	19.53	16.84	21.43	0.15	0.07	0.08
D33J013357.0+303516.9	01:33:56.98	30:35:16.94	1.87	19.99	17.42	21.74	0.14	0.06	0.10
D33J013357.0+303818.0	01:33:57.03	30:38:18.02	10.76	19.10	16.63	...	0.42	0.22	...
D33J013357.4+304559.4	01:33:57.42	30:45:59.37	1.73	21.61	16.93	...	0.40	0.07	...
D33J013357.7+303235.1	01:33:57.72	30:32:35.13	1.31	20.38	17.18	...	0.14	0.07	...
D33J013357.8+303717.9	01:33:57.80	30:37:17.90	1.87	19.43	16.85	21.22	0.24	0.05	0.11
D33J013357.8+304825.0	01:33:57.75	30:48:24.98	3.56	16.90	16.14	17.82	0.06	0.04	0.08
D33J013358.0+304850.2	01:33:57.97	30:48:50.18	3.42	19.61	...	...	0.20	...	...
D33J013358.5+303419.8	01:33:58.49	30:34:19.81	2.20	17.33	...	...	0.16	...	...
D33J013358.5+303812.8	01:33:58.52	30:38:12.77	1.85	19.89	17.21	21.88	0.12	0.06	0.09
D33J013358.7+304004.7	01:33:58.75	30:40:04.73	1.38	18.93	18.83	19.00	0.06	0.10	0.04
D33J013359.0+303756.3	01:33:59.02	30:37:56.32	1.25	21.18	20.50	...	0.37	0.28	...
D33J013359.0+304139.9	01:33:58.97	30:41:39.95	5.93	16.79	16.12	17.82	0.08	0.02	0.07
D33J013359.1+303212.2	01:33:59.15	30:32:12.23	2.98	19.77	16.41	22.44	0.26	0.14	0.18
D33J013359.1+304355.3	01:33:59.12	30:43:55.31	2.52	20.14	17.31	22.70	0.24	0.08	0.25
D33J013359.4+303734.0	01:33:59.44	30:37:34.00	2.77	19.76	17.12	21.17	0.15	0.08	0.08
D33J013359.9+304704.1	01:33:59.95	30:47:04.09	2.12	19.60	16.86	21.34	0.09	0.03	0.04
D33J013400.0+304453.8	01:34:00.00	30:44:53.81	2.56	21.23	19.10	21.99	0.36	0.31	0.17
D33J013400.1+304622.9	01:34:00.08	30:46:22.87	1.56	19.76	17.88	20.11	0.10	0.29	0.03
D33J013400.2+304832.3	01:34:00.18	30:48:32.29	1.62	20.73	17.61	21.82	0.16	0.10	0.08
D33J013400.3+304048.1	01:34:00.25	30:40:48.11	1.28	19.07	17.58	20.07	0.07	0.07	0.02
D33J013400.5+302951.5	01:34:00.52	30:29:51.51	3.23	19.89	17.60	21.38	0.18	0.12	0.07
D33J013400.9+303414.9	01:34:00.85	30:34:14.88	4.77	17.64	15.56	19.44	0.11	0.06	0.01
D33J013401.0+303432.2	01:34:01.03	30:34:32.19	4.04	19.60	16.51	21.48	0.29	0.08	0.09
D33J013401.2+303557.3	01:34:01.19	30:35:57.26	1.35	19.62	17.19	20.47	0.09	0.05	0.08
D33J013401.5+303859.2	01:34:01.49	30:38:59.24	1.30	19.74	...	19.88	0.14	...	0.02
D33J013401.6+303129.0	01:34:01.60	30:31:28.95	5.92	20.29	17.05	...	0.34	0.15	...
D33J013401.8+303858.3	01:34:01.84	30:38:58.34	3.38	16.76	15.35	17.98	0.06	0.04	0.01
D33J013401.9+303900.5	01:34:01.91	30:39:00.54	1.58	19.31	...	...	0.10	...	...
D33J013402.3+303828.3	01:34:02.28	30:38:28.32	1.48	18.75	16.18	20.21	0.06	0.05	0.04
D33J013402.4+304353.1	01:34:02.40	30:43:53.15	1.22	19.98	17.28	20.93	0.09	0.07	0.04
D33J013402.5+304108.1	01:34:02.53	30:41:08.09	2.30	19.42	16.68	21.25	0.10	0.05	0.07
D33J013402.8+304837.2	01:34:02.82	30:48:37.19	3.38	18.35	...	19.84	0.10	...	0.05
D33J013403.0+304410.5	01:34:03.00	30:44:10.47	3.95	15.47	...	...	0.05	...	...
D33J013403.6+303143.0	01:34:03.56	30:31:43.03	3.27	19.77	16.70	21.47	0.12	0.04	0.04
D33J013403.7+304202.9	01:34:03.75	30:42:02.88	3.62	19.50	16.26	21.43	0.23	0.15	0.10
D33J013403.8+303753.0	01:34:03.83	30:37:53.00	2.72	19.88	16.41	22.45	0.96	0.41	0.24
D33J013404.2+304323.7	01:34:04.18	30:43:23.70	1.31	22.04	20.36	22.89	0.55	0.31	0.17
D33J013404.3+304115.7	01:34:04.26	30:41:15.69	1.34	21.65	...	21.88	0.41	...	0.42
D33J013404.5+303257.0	01:34:04.48	30:32:56.98	2.02	21.87	19.46	23.23	0.59	0.67	0.30
D33J013404.5+303315.4	01:34:04.53	30:33:15.41	2.06	20.66	17.57	22.66	0.47	0.19	0.05
D33J013404.7+304839.3	01:34:04.69	30:48:39.27	2.14	19.72	17.38	21.14	0.09	0.05	0.05
D33J013405.1+304816.4	01:34:05.13	30:48:16.38	1.38	20.25	17.72	21.82	0.10	0.06	0.05
D33J013405.4+303719.2	01:34:05.41	30:37:19.20	1.71	18.82	17.26	20.28	0.06	0.04	0.06
D33J013405.5+303418.9	01:34:05.51	30:34:18.95	1.68	20.58	19.28	21.04	0.14	0.06	0.03
D33J013405.5+303443.2	01:34:05.46	30:34:43.21	6.61	19.87	18.14	...	0.36	0.20	...
D33J013406.2+304632.8	01:34:06.22	30:46:32.84	2.27	19.69	16.85	...	0.16	0.07	...
D33J013407.1+303918.9	01:34:07.08	30:39:18.90	1.42	19.20	16.64	...	0.13	0.16	...
D33J013407.2+304159.3	01:34:07.25	30:41:59.28	4.40	19.10	16.50	21.05	0.14	0.07	0.04
D33J013407.8+304628.9	01:34:07.75	30:46:28.92	4.12	19.55	16.63	20.97	0.17	0.06	0.08

TABLE 4—*Continued*

Designation	R.A. (J2000.0)	Dec.	J_S	V	I	B	σ_V	σ_I	σ_B
D33J013409.1+303846.5	01:34:09.12	30:38:46.46	1.35	20.45	...	...	0.14	...	...
D33J013409.2+303423.2	01:34:09.18	30:34:23.16	7.14	17.78	16.78	...	0.22	0.23	...
D33J013409.4+303706.2	01:34:09.43	30:37:06.17	3.00	21.27	19.02	...	0.46	0.14	...
D33J013409.4+304527.3	01:34:09.41	30:45:27.25	1.62	20.44	17.23	22.10	0.12	0.02	0.09
D33J013409.6+303908.0	01:34:09.60	30:39:08.03	6.39	19.99	16.12	...	0.54	0.54	...
D33J013409.8+304643.7	01:34:09.85	30:46:43.72	2.51	19.62	17.15	21.27	0.14	0.07	0.16
D33J013410.3+304728.6	01:34:10.26	30:47:28.57	1.83	19.60	17.36	20.93	0.07	0.03	0.06
D33J013410.5+304651.4	01:34:10.55	30:46:51.38	2.57	17.89	17.56	18.00	0.05	0.05	0.02
D33J013410.9+303437.5	01:34:10.90	30:34:37.52	7.20	16.07	15.89	...	0.09	0.11	...
D33J013410.9+304708.6	01:34:10.87	30:47:08.59	1.62	21.21	20.16	21.30	0.27	0.11	0.05
D33J013411.5+303312.6	01:34:11.51	30:33:12.64	5.35	19.00	16.11	20.51	0.20	0.10	0.02
D33J013411.7+304003.5	01:34:11.73	30:40:03.54	1.90	19.86	17.31	...	0.14	0.09	...
D33J013412.2+303241.6	01:34:12.16	30:32:41.64	1.31	21.58	19.59	...	0.41	0.10	...
D33J013412.2+303320.6	01:34:12.23	30:33:20.59	2.04	19.54	16.83	21.34	0.09	0.02	0.06
D33J013412.7+304208.4	01:34:12.68	30:42:08.39	1.44	21.85	19.76	23.40	0.38	0.19	0.15
D33J013412.9+303309.9	01:34:12.86	30:33:09.86	1.59	20.00	17.05	...	0.10	0.05	...
D33J013413.7+304026.7	01:34:13.72	30:40:26.72	1.34	21.57	19.87	...	0.25	0.12	...
D33J013414.5+303511.5	01:34:14.48	30:35:11.47	3.80	19.96	16.38	20.89	0.22	0.14	0.02
D33J013414.5+303557.7	01:34:14.52	30:35:57.66	3.08	19.59	16.72	21.25	0.11	0.05	0.03
D33J013415.8+304526.9	01:34:15.82	30:45:26.89	1.83	21.86	20.17	22.28	0.41	0.19	0.12
D33J013415.9+302919.2	01:34:15.88	30:29:19.21	1.35	22.56	19.90	...	0.52	0.22	...
D33J013416.0+304115.3	01:34:15.98	30:41:15.32	4.72	20.19	16.59	21.39	0.26	0.17	0.09
D33J013416.3+303158.6	01:34:16.32	30:31:58.58	1.34	19.65	17.27	21.20	0.07	0.03	0.05
D33J013416.3+303353.4	01:34:16.27	30:33:53.43	6.01	18.67	16.20	20.45	0.23	0.13	0.06
D33J013416.3+303801.6	01:34:16.27	30:38:01.61	2.03	20.43	17.66	...	0.18	0.06	...
D33J013416.6+304750.9	01:34:16.55	30:47:50.86	1.24	19.65	17.34	21.21	0.07	0.05	0.06
D33J013416.8+304518.8	01:34:16.83	30:45:18.79	2.55	20.41	17.26	21.97	0.18	0.11	0.12
D33J013417.3+304826.8	01:34:17.28	30:48:26.78	1.38	21.12	17.14	...	0.17	0.07	...
D33J013417.6+304155.7	01:34:17.64	30:41:55.72	1.43	19.26	18.79	19.45	0.06	0.04	0.01
D33J013417.8+303355.9	01:34:17.82	30:33:55.91	2.97	19.38	16.20	21.23	0.13	0.04	0.04
D33J013418.5+304108.6	01:34:18.50	30:41:08.56	1.78	21.76	19.82	22.91	0.45	0.12	0.23
D33J013418.8+303806.4	01:34:18.82	30:38:06.36	1.60	18.91	16.64	19.89	0.08	0.05	0.04
D33J013418.8+304338.4	01:34:18.79	30:43:38.39	3.04	21.80	19.58	23.30	0.47	0.20	0.42
D33J013419.6+303303.2	01:34:19.62	30:33:03.24	1.91	21.02	17.49	...	0.20	0.09	...
D33J013419.7+303700.1	01:34:19.70	30:37:00.12	1.63	19.59	17.09	21.40	0.09	0.05	0.04
D33J013419.7+303755.8	01:34:19.69	30:37:55.81	1.21	22.05	19.96	...	0.46	0.10	...
D33J013420.1+304436.9	01:34:20.08	30:44:36.92	1.55	20.07	17.15	21.52	0.12	0.06	0.05
D33J013420.4+304308.6	01:34:20.40	30:43:08.58	1.39	22.39	...	...	0.50	...	...
D33J013420.4+304848.7	01:34:20.36	30:48:48.74	3.36	20.24	17.41	21.76	0.17	0.07	0.03
D33J013420.9+304407.4	01:34:20.90	30:44:07.37	1.73	20.57	17.86	22.22	0.16	0.04	0.08
D33J013425.4+303940.6	01:34:25.38	30:39:40.61	1.70	21.09	19.43	...	0.28	0.18	...
D33J013426.0+304615.2	01:34:26.02	30:46:15.20	1.29	19.89	17.59	21.63	0.07	0.03	0.07
D33J013426.5+304844.7	01:34:26.47	30:48:44.75	1.80	22.10	19.95	23.15	0.47	0.27	0.26
D33J013427.8+304356.1	01:34:27.85	30:43:56.14	1.64	21.71	20.03	22.66	0.31	0.24	0.17
D33J013428.2+304709.7	01:34:28.15	30:47:09.67	1.55	21.43	19.49	22.30	0.30	0.23	0.08
D33J013428.5+304711.0	01:34:28.52	30:47:11.04	1.53	21.59	20.81	21.80	0.26	0.20	0.17
D33J013428.8+304820.6	01:34:28.82	30:48:20.59	1.33	21.84	...	22.22	0.31	...	0.33
D33J013428.9+304223.4	01:34:28.91	30:42:23.40	1.44	21.90	19.84	22.32	0.34	0.21	0.10

TABLE 5
PHOTOMETRIC DATA - CEPHEID VARIABLES

HJD -2450000	Magnitude	σ
D33J013417.3+304505.3 - V		
332.7556	23.042	0.599
332.7855	22.943	0.242
332.9925	22.285	0.148
333.8915	22.514	0.164
333.8982	22.256	0.153
334.8091	22.925	0.201
334.8157	23.057	0.240
334.8274	22.847	0.166
348.7933	22.682	0.252
348.8074	22.675	0.246
348.8125	22.357	0.178
348.8243	22.610	0.165
348.9463	22.587	0.141
348.9580	22.913	0.174
348.9697	22.911	0.206
348.9815	22.769	0.157
<i>Continues in electronic form</i>		

TABLE 6
PHOTOMETRIC DATA - ECLIPSING BINARIES

HJD -2450000	Magnitude	σ
D33J013422.1+304710.4 - V		
332.7272	19.881	0.038
332.7556	20.013	0.040
332.7787	19.942	0.032
332.7855	19.984	0.030
332.9925	20.152	0.038
333.8915	20.036	0.029
333.8982	20.081	0.030
334.8091	19.937	0.029
334.8157	19.916	0.032
334.8274	19.952	0.026
348.7933	20.096	0.037
348.8074	20.129	0.050
348.8125	20.084	0.038
348.8243	20.089	0.040
348.9463	19.918	0.040
348.9580	19.928	0.028
<i>Continues in electronic form</i>		

TABLE 7
PHOTOMETRIC DATA - PERIODIC VARIABLES

HJD -2450000	Magnitude	σ
D33J013420.2+303400.7 - V		
332.8749	20.863	0.054
332.8866	20.836	0.053
332.8984	20.912	0.060
333.9348	21.164	0.072
333.9466	21.176	0.060
334.7195	21.314	0.105
334.7367	21.354	0.116
334.9713	21.233	0.070
334.9830	21.252	0.064
334.9948	21.381	0.069
348.8472	20.865	0.070
348.8589	20.874	0.067
348.8707	20.787	0.063
348.8972	20.874	0.063
349.0038	20.919	0.063
<i>Continues in electronic form</i>		

TABLE 8
PHOTOMETRIC DATA - MISCELLANEOUS VARIABLES

HJD -2450000	Magnitude	σ
D33J013331.1+303502.4 - V		
332.8749	19.741	0.033
332.8866	19.726	0.033
332.8984	19.743	0.029
333.9348	19.735	0.032
333.9466	19.742	0.033
334.7195	19.825	0.039
334.7367	19.767	0.037
334.9713	19.748	0.035
334.9830	19.707	0.029
334.9948	19.689	0.029
348.8472	19.892	0.037
348.8589	19.916	0.043
348.8707	19.932	0.046
348.8972	19.853	0.037
349.0038	19.838	0.033
349.9414	19.769	0.067
<i>Continues in electronic form</i>		

TABLE 9
M33 CLASSICAL VARIABLES

Classical	Designation DIRECT	R.A. (J2000.0)	Dec.	Type		Per (d)		Notes
				Cl.	DI.	Cl.	DI.	
Du22-V01	D33J013409.8+303814.5	01:34:09.8	30:38:15	V	C	...	32.55	
Du22-V02	D33J013418.4+303837.1	01:34:18.4	30:38:37	V	N	...	...	
Hu26-V03	...	01:33:25.9	30:48:34	C	...	41.68	...	
Hu26-V04	D33J013423.6+304204.6	01:34:23.6	30:42:05	C	C	27.37	27.28	1
Hu26-V05	D33J013404.9+304022.6	01:34:04.9	30:40:23	C	C	14.60	14.63	
Hu26-V06	...	01:34:45.1	30:49:25	V	...	...	...	
Hu26-V07	D33J013411.3+304156.3	01:34:11.3	30:41:56	C	C	26.56	26.56	
Hu26-V08	D33J013355.1+302957.4	01:33:55.1	30:29:57	E	E	...	5.095	
Hu26-V09	D33J013406.8+303940.2	01:34:06.8	30:39:40	C	C	18.90	18.89	
Hu26-V10	D33J013405.1+303851.4	01:34:05.1	30:38:51	C	C	69.50	56.98	
Hu26-V11	D33J013402.8+304145.7	01:34:02.8	30:41:46	C	C	23.43	13.04	
Hu26-V12	D33J013401.7+303923.1	01:34:01.7	30:39:23	C	C	21.68	21.68	
Hu26-V13	D33J013359.7+303937.2	01:33:59.7	30:39:37	V	V	...	...	
Hu26-V14	D33J013331.1+303143.2	01:33:31.1	30:31:43	V	C	...	55.17	2
Hu26-V15	D33J013359.4+303226.7	01:33:59.4	30:32:27	V	C	...	50.28	
Hu26-V16	D33J013353.4+303535.3	01:33:53.4	30:35:35	C	C	17.50	17.48	
Hu26-V17	D33J013350.7+303544.2	01:33:50.7	30:35:44	C	C	23.30	23.31	
Hu26-V18	D33J013354.8+304106.5	01:33:54.8	30:41:07	C	C	34.00	33.95	
Hu26-V19	D33J013357.1+304512.4	01:33:57.1	30:45:12	C	N	54.71	...	
Hu26-V20	D33J013352.4+303844.2	01:33:52.4	30:38:44	C	C	35.95	35.94	
Hu26-V21	D33J013351.8+303951.0	01:33:51.8	30:39:51	V	C	...	67.32	
Hu26-V22	D33J013351.4+303830.7	01:33:51.4	30:38:31	C	C	21.82	21.79	
Hu26-V23	D33J013351.2+303758.2	01:33:51.2	30:37:58	C	C	13.56	13.56	
Hu26-V24	D33J013349.8+303758.7	01:33:49.8	30:37:59	C	C	12.89	12.91	
Hu26-V25	D33J013358.8+303719.7	01:33:58.8	30:37:20	C	C	13.44	24.56	
Hu26-V26	...	01:34:37.9	30:41:26	C	...	23.26	...	
Hu26-V27	D33J013344.6+304314.1	01:33:44.6	30:43:14	C	C	22.45	22.42	
Hu26-V28	D33J013414.7+304413.9	01:34:14.7	30:44:14	C	C	18.58	18.61	
Hu26-V29	D33J013341.6+303609.2	01:33:41.6	30:36:09	C	C	36.31	37.34	
Hu26-V30	D33J013329.3+303744.4	01:33:29.3	30:37:44	C	C	46.03	46.00	2
Hu26-V31	D33J013327.5+303707.2	01:33:27.5	30:37:07	C	C	37.33	37.32	2
Hu26-V32	D33J013326.2+303319.4	01:33:26.2	30:33:19	V	C	...	20.00	2
Hu26-V33	D33J013324.7+303517.2	01:33:24.7	30:35:17	C	C	20.50	20.51	2
Hu26-V34	...	01:33:22.4	30:48:48	C	...	22.16	...	
Hu26-V35	D33J013302.3+303632.9	01:33:02.3	30:36:33	C	C	30.51	30.54	2
Hu26-V36	D33J013412.2+304641.4	01:34:12.2	30:46:41	C	C	35.80	35.87	
Hu26-V37	D33J013345.0+303952.2	01:33:45.0	30:39:52	C	C	17.60	17.59	
Hu26-V38	D33J013401.2+303113.7	01:34:01.2	30:31:14	C	C	25.04	24.88	
Hu26-V39	...	01:34:13.9	30:50:35	C	...	16.17	...	
Hu26-V40	D33J013346.0+304231.9	01:33:46.0	30:42:32	C	C	12.92	12.93	
Hu26-V41	D33J013330.2+303637.4	01:33:30.2	30:36:37	C	C	17.98	17.97	2
Hu26-V42	D33J013332.9+303548.4	01:33:32.9	30:35:48	C	C	30.34	30.29	
Hu26-V43	D33J013331.5+303351.2	01:33:31.5	30:33:51	C	C	20.17	20.17	
Hu26-V44	D33J013329.5+303556.9	01:33:29.5	30:35:57	C	C	30.12	30.66	2
Hu26-V45	D33J013343.9+303245.1	01:33:43.9	30:32:45	V	C	...	73.97	
HS53-A	...	01:32:33.0	30:30:25	V	...	...	...	
HS53-B	D33J013349.2+303809.1	01:33:49.2	30:38:09	V	...	...	...	3
HS53-C	D33J013335.2+303559.9	01:33:35.2	30:36:00	V	V	...	...	
VHK75-46	D33J013409.0+303300.4	01:34:09.0	30:33:00	V	N	...	...	
VHK75-47	...	01:34:23.2	30:56:53	V	...	...	...	
VHK75-48	...	01:33:07.2	30:45:43	V	...	...	...	
VHK75-49	D33J013423.6+304204.6	01:34:23.6	30:42:05	V	C	...	27.28	4
VHK75-50	...	01:34:21.4	30:55:39	V	...	...	...	
VHK75-51	...	01:33:00.2	30:46:46	V	...	...	...	
VHK75-52	...	01:34:25.3	30:54:37	V	...	...	...	
VHK75-53	...	01:35:01.4	30:32:05	V	...	...	...	
VHK75-54	D33J013410.8+303316.8	01:34:10.8	30:33:17	V	N	...	...	
VHK75-55	...	01:32:45.4	30:35:19	V	...	...	...	
VHK75-56	...	01:34:34.3	30:26:28	V	...	...	...	
VHK75-57	...	01:33:24.8	30:17:54	V	...	...	...	
VHK75-58	D33J013317.5+303210.2	01:33:17.5	30:32:10	V	V	...	...	2
VHK75-59	D33J013403.1+304221.0	01:34:03.1	30:42:21	V	...	...	...	5
VHK75-60	D33J013336.5+303530.7	01:33:36.5	30:35:31	V	V	...	...	
VHK75-61	D33J013411.5+303312.6	01:34:11.5	30:33:13	V	V	...	...	
VHK75-62	D33J013345.2+303138.2	01:33:45.2	30:31:38	V	V	...	...	
VHK75-63	...	01:33:39.4	30:21:11	V	...	...	...	
VHK75-64	...	01:33:29.4	30:18:49	V	...	...	...	

TABLE 9—*Continued*

Classical	Designation DIRECT	R.A. (J2000.0)	Dec.	Type		Per (d)		Notes
				Cl.	DI.	Cl.	DI.	
VHK75-65	...	01:34:54.2	30:41:10	V	...	...	...	
VHK75-66	D33J013319.3+303641.7	01:33:19.3	30:36:42	V	V	...	...	2
VHK75-67	D33J013257.6+303156.4	01:32:57.6	30:31:56	V	E	...	3.312	2
VHK75-68	...	01:33:57.5	30:42:15	V	...	...	...	6
VHK75-69	...	01:33:31.8	30:19:54	V	...	...	...	
VHK75-70	...	01:34:30.7	30:32:17	V	...	...	...	
VHK75-71	...	01:34:12.1	30:53:13	V	...	...	...	
VHK75-72	D33J013416.0+304115.3	01:34:16.0	30:41:15	V	V	...	...	
VHK75-73	...	01:33:49.1	30:52:21	V	...	...	...	
VHK75-74	...	01:33:28.8	31:00:40	V	...	...	...	
VHK75-75	...	01:34:14.0	30:52:47	V	...	...	...	
VHK75-76	D33J013416.3+303353.4	01:34:16.3	30:33:53	V	V	...	...	7
VHK75-77	...	01:33:55.7	30:27:25	V	...	...	...	
VHK75-78	...	01:33:09.3	30:25:58	V	...	...	...	
VHK75-79	D33J013329.3+303744.4	01:33:29.3	30:37:44	V	C	...	46.00	2,8
VHK75-80	...	01:33:53.8	30:26:42	V	...	...	...	
VHK75-81	...	01:34:55.5	30:43:49	V	...	...	...	
VHK75-82	...	01:33:49.1	30:51:35	V	...	...	...	
VHK75-83	D33J013410.9+303437.5	01:34:10.9	30:34:38	V	V	...	...	
SC83-A01	D33J013318.6+303915.9	01:33:18.6	30:39:16	C	C	8.54	8.54	2
SC83-B01	D33J013252.6+303713.3	01:32:52.6	30:37:13	C	C	37.62	37.55	2
SC83-B08	D33J013253.5+303810.2	01:32:53.5	30:38:10	C	N	3.23	...	
SC83-D54	D33J013323.1+303039.6	01:33:23.1	30:30:40	C	C	8.74	8.74	2
SC83-E14	D33J013256.3+303437.1	01:32:56.3	30:34:37	C	C	12.82	12.82	2
SC83-F08	...	01:32:32.3	30:31:08	C	...	21.28	...	
SC83-F09	...	01:32:36.3	30:31:42	C	...	18.10	...	
SC83-F12	...	01:32:34.7	30:36:52	C	...	18.48	...	
SC83-G01	D33J013331.3+302946.9	01:33:31.3	30:29:47	C	C	17.56	17.55	
SC83-G04	...	01:33:20.3	30:29:05	C	...	13.00	...	
SC83-G05	...	01:33:20.3	30:28:54	C	...	8.78	...	
SC83-G06	...	01:33:18.9	30:27:09	C	...	26.32	...	

References. — Du22: Duncan (1922); Hu26: Hubble (1926); HS53: Hubble & Sandage (1953); VHK75: van den Bergh, Herbst & Kowal (1975); SC83: Sandage & Carlson (1983)

Note. — Key to types: C: Cepheid; E: Eclipsing binary; P: periodic variable; V: miscellaneous variable; N: does not display variability in the DIRECT database; (...): object outside the boundaries of the catalog of Macri *et al.* (2001a), coordinates obtained from the literature or the digitized POSS plate of M33.

Note. — [1]: possibly mis-identified with nearby star in original finding chart; [2]: variable located in DIRECT field C (Stanek *et al.* 2001); [3]: saturated in DIRECT images; [4]: same object as Hu26-V04; [5]: very faint, below detection threshold in DIRECT images; [6]: very faint, below detection threshold in DIRECT images; [7] possibly mis-identified with nearby star in original finding chart; [8]: same object as Hu26-V30

TABLE 10
VARIABLES IN COMMON WITH KINMAN, MOULD & WOOD (1987)

KMW	Designation DIRECT	R.A. (J2000.0)	Dec.	DIR. type	Per. (d) K	D	Notes
<i>Objects classified as Cepheids or periodic (Tables III & IV)</i>							
P11721	D33J013412.2+304641.4	01:34:12.4	30:46:41.4	C	35.90	35.86	
P13013	D33J013409.6+304536.0	01:34:09.6	30:45:36.0	C	25.26	25.29	
P16673	D33J013402.8+304145.7	01:34:02.8	30:41:45.7	C	25.20	13.04	
P22263	D33J013347.2+303536.2	01:33:47.2	30:35:36.2	C	26.50	26.50	
P23601	D33J013332.9+303548.4	01:33:32.9	30:35:48.5	C	30.42	30.29	
P28325	D33J013331.4+303016.3	01:33:31.4	30:30:16.3	C	26.91	26.98	
P28834	D33J013331.3+302946.9	01:33:31.3	30:29:46.9	C	17.58	17.54	
Q09498	D33J013419.0+304441.4	01:34:19.0	30:44:41.4	C	20.16	20.21	
Q09738	D33J013415.1+304453.3	01:34:15.1	30:44:53.3	C	14.91	14.92	
Q10256	D33J013414.7+304413.9	01:34:14.7	30:44:13.9	C	18.61	18.61	
Q10954	D33J013423.6+304204.6	01:34:23.6	30:42:04.6	C	27.24	27.28	
Q11994	D33J013420.5+304101.4	01:34:20.5	30:41:01.4	C	16.00	15.96	
Q12170	D33J013411.3+304156.3	01:34:11.3	30:41:56.3	C	26.55	26.57	
Q12510	D33J013424.1+303953.5	01:34:24.1	30:39:53.5	C	21.98	21.91	
Q14347	D33J013417.6+303819.7	01:34:17.6	30:38:19.7	C	23.31	23.31	
Q14382	D33J013354.8+304106.5	01:33:54.8	30:41:06.5	C	34.10	33.95	
Q14651	D33J013412.5+303839.8	01:34:12.5	30:38:39.8	C	15.01	11.24	
Q18231	D33J013410.2+303407.8	01:34:10.2	30:34:07.8	C	19.40	19.36	
Q18675	D33J013353.4+303535.3	01:33:53.4	30:35:35.3	C	17.50	17.48	
Q18797	D33J013350.7+303544.2	01:33:50.7	30:35:44.2	C	23.31	23.31	
Q19113	...	01:33:43.8	30:36:09.8	...	13.44	...	[1]
Q21204	D33J013401.2+303113.7	01:34:01.2	30:31:13.7	C	25.07	24.88	
Q21837	D33J013335.0+303336.5	01:33:35.0	30:33:36.5	C	15.09	15.07	
Q15383	D33J013408.4+303817.2	01:34:08.4	30:38:17.2	C	65.70	14.35	[2]
<i>Objects classified as long-period variables (Table II)</i>							
P11172	D33J013358.0+304850.2	01:33:58.0	30:48:50.2	V	538	...	
P11629	D33J013408.5+304714.9	01:34:08.5	30:47:14.9	N	458	...	
P11988	D33J013409.8+304643.7	01:34:09.8	30:46:43.7	V	386	...	
P14476	D33J013347.5+304630.9	01:33:47.5	30:46:30.9	V	497	...	
P16071	...	01:33:43.5	30:44:52.1	...	620	...	
P16339	D33J013403.7+304202.9	01:34:03.7	30:42:02.9	V	680	...	
P20917	D33J013339.0+303828.9	01:33:39.0	30:38:28.9	V	760	...	
P21091	D33J013351.4+303640.0	01:33:51.4	30:36:40.0	V	685	...	
P23182	D33J013338.8+303532.5	01:33:38.8	30:35:32.5	V	589	...	
P23324	...	01:33:34.8	30:35:50.4	...	398	...	
P25017	D33J013335.9+303344.0	01:33:35.9	30:33:44.0	V	980	...	
Q12254	D33J013416.0+304115.3	01:34:16.0	30:41:15.3	V	815	...	
Q14906	D33J013409.1+303846.5	01:34:09.1	30:38:46.5	V	730	...	
Q16350	D33J013357.0+303818.0	01:33:57.0	30:38:18.0	V	690	...	
Q17032	D33J013357.8+303717.9	01:33:57.8	30:37:17.9	V	650	...	
Q17675	D33J013417.8+303355.9	01:34:17.8	30:33:55.9	V	760	...	
Q18180	D33J013419.6+303303.2	01:34:19.6	30:33:03.2	V	516	...	
Q18569	D33J013400.4+303451.4	01:34:00.4	30:34:51.4	N	770	...	
Q21736	D33J013346.7+303218.1	01:33:46.7	30:32:18.1	V	516	...	
Q21765	...	01:33:43.9	30:32:33.7	...	458	...	
Q22366	D33J013345.2+303138.2	01:33:45.2	30:31:38.2	V	589	...	
<i>Unclassified variables (Table V)</i>							
P08862	D33J013423.1+304847.8	01:34:23.1	30:48:47.8	P	...	56.0	
P12989	D33J013408.8+304543.5	01:34:08.8	30:45:43.5	C	...	13.53	
P13943	D33J013357.4+304559.4	01:33:57.4	30:45:59.4	V	...	...	
P14523	D33J013354.9+304532.5	01:33:54.9	30:45:32.5	C	...	35.74	
P16747	D33J013350.0+304314.8	01:33:50.0	30:43:14.8	V	...	...	
P17502	D33J013357.4+304113.9	01:33:57.4	30:41:13.9	C	...	11.62	
P21428	D33J013350.6+303617.1	01:33:50.6	30:36:17.1	V	...	...	
P26729	D33J013333.4+303146.7	01:33:33.4	30:31:46.7	V	...	...	
Q09219	D33J013416.8+304518.8	01:34:16.8	30:45:18.8	V	...	...	

TABLE 10—*Continued*

KMW	Designation DIRECT	R.A. (J2000.0)	Dec.	DIR. type	Per. (d) K D	Notes
Q09711	D33J013409.6+304536.0	01:34:09.6	30:45:36.0	C	...	25.29
Q14261	D33J013401.3+304026.9	01:34:01.3	30:40:26.9	C	...	14.85
Q14783	D33J013416.3+303801.6	01:34:16.3	30:38:01.6	V	...	...
Q16182	D33J013417.9+303557.8	01:34:17.9	30:35:57.8	C	...	16.50
Q16280	D33J013358.5+303812.8	01:33:58.5	30:38:12.8	V	...	...
Q16905	D33J013358.8+303719.7	01:33:58.8	30:37:19.7	C	...	24.56
Q17869	D33J013416.3+303353.4	01:34:16.3	30:33:53.4	V	...	...
Q18561	D33J013357.0+303516.9	01:33:57.0	30:35:16.9	V	...	...
Q20522	D33J013357.7+303235.1	01:33:57.7	30:32:35.1	V	...	...
Q21312	D33J013411.9+302947.6	01:34:11.9	30:29:47.6	C	...	13.31
Q21314	D33J013401.6+303103.1	01:34:01.6	30:31:03.1	C	...	15.78
Q22208	D33J013408.8+302857.7	01:34:08.8	30:28:57.7	C	...	19.14
Q23496	D33J013349.9+302928.9	01:33:49.9	30:29:28.9	V	...	...
Q23908	D33J013343.5+302938.3	01:33:43.5	30:29:38.3	V	...	...

Note. — Key to DIRECT types: C: Cepheid; P: periodic variable; V: miscellaneous variable; N: non-variable star present in the catalog of Macri et al. (2001a); ; (...): no star present in the catalog of Macri et al. (2001a) at this position.

Note. — [1]: very faint, below detection threshold in DIRECT images. [2]: classified by KMW87 as a W Vir candidate.